

**Department of Veterans Affairs
National Mental Health Program Performance Monitoring System:
Fiscal Year 2005 Interim Report**

May 15, 2005

DRAFT

Greg Greenberg PHD

Mental Health Services System Researcher, Northeast Program Evaluation Center
Lecturer, Department of Psychiatry, Yale School of Medicine

Robert Rosenheck MD

Director, Northeast Program Evaluation Center
Professor of Psychiatry and Public Health, Yale Medical School

Northeast Program Evaluation Center (182)
VA Health Services Research & Development Service
VA Connecticut Healthcare System
West Haven, CT 06516
(203) 937-3850; FAX (203) 937-3433

DRAFT

Enclosed are updated VISN-level performance data from the National Mental Health Performance Monitoring System for the first half of FY 2005. Data presented covers the year from April 1, 2004 through March 31, 2005. VA Central Office has requested that we circulate data on the monitoring system periodically throughout the year at the VISN level, so that networks can track their progress and make mid-year corrections. Data at the level of individual medical centers will be presented annually.

Table numbers and coding conventions in these summary tables are exactly the same as those in the FY 2004 report available at <http://vaww.nepec.mentalhealth.med.va.gov>. Additionally, all variable definitions and analytical methods are the same as those described in that report. However, data in this report are only directly comparable to the FY 2004 interim report. Caution should be used in examining these data because mid-year data are sometimes incomplete.

Some differences with prior interim reports should also be noted.

Covariates. Due to unavailability of current data on distance to a nearest non-VA facility we no longer present information on this measure in table 2-1 or use the measure as a covariate.

Substance Abuse Programs. Due to the reduction in the number of discharges from inpatient substance abuse programs in 2004 we stopped presenting information on these programs or on the transition from inpatient to outpatient substance abuse programs.

Stop Codes. In 2002 the following additional stop codes were used in calculating the capitated outpatient workload (see chapter 5): two related to pain management (533 and 565), and one for community case management (564). These were all considered general psychiatry stop codes. The stop code 564 was also used in the calculations for other chapters in 2002 while this year the other two stop codes (533 and 565) were also used. An additional general psychiatry stop code, 567 (MHICM), was also included in all analysis this year. In 2004 we also dropped several stop codes that were no longer valid.

Funding of Non-VA Mental Health Services. In 2002 data on per capita funding of non-VA mental services was updated. Previously the 1992 Inventory of Mental Health Organizations was used. The 1998 Survey of Mental Health Organizations and General Mental Health Services is currently being used. Both surveys were conducted by the Survey and Analysis Branch, Division of State and Community Systems Development, Center for Mental Health Services.

Census Data. Starting in 2002 data on the number of veterans living in each county of the U.S. was based on the 2000 Decennial Census. In 2004 we also began to depend on the 2000 Decennial Census to obtain data on the characteristics of veterans in the general population in each VISN. However, due to the lack of availability of comparable 2000 data there remain a couple of veteran characteristics for which we continue to depend on the 1990 Decennial Census for data (see table 2-1). We expect that this data will become available in 2005. Reductions in the number of veterans in the U.S. in the 1990s influenced any measures that depended on U.S. census data; in particular,

population coverage measures reported in chapter 2 and table 5-3 as well as expenditures per veteran in the general population, such as in tables 6-1 and 6-2.

VISN Consolidation. At the end of 2001 VISNs 13 and 14 consolidated into VISN 23.

Wage Adjustment. Previous to 2001, mid year cost data were adjusted for differences in local wage rates. This adjustment was made to assure comparability between different sections of the country. However, over the years we have been encouraged by a number of VA administrators and program managers to end this practice so they can more easily compare local data to that provided by this report. Included in table 6-2 though is a column "Wage Adjustment Value" that can be used to obtain adjusted cost data. For table 6-2 the adjusted values for the columns with cost data can be obtained by multiplying these columns by the Wage Adjustment Value column. For other tables a reasonable approximation of adjusted cost data can be obtained by using the same procedure.

To facilitate time-trend comparisons we have included a summary report card comparing VISN rankings for the first two quarters of FY 2004 and for the first two quarters of FY 2005. A number of trends deserve note:

*The number of unique veterans who received inpatient treatment for substance abuse declined by 37.8% and the number receiving outpatient treatment for substance abuse also declined by 1.5%.

*The total number of veterans receiving specialized treatment from any mental health program increased by 6.4% over the same period of the previous year to 878,452. There was a 6.9% increase in general psychiatry patients and a 1.8% decline in substance abuse patients.

{{Remains to be updated}}

~~*The per capita cost of mental health care increased by 1% from \$2,595 to \$2,617 (without adjustment for inflation).~~

Graphic representations are also presented of changes in selected measures from the baseline year of FY 1995 through the year from April 1, 2004 - March 31, 2005.

Table 1-1. Major domains, subdomains and the number of monitors.

I. Population Coverage (6 monitors)

II. Inpatient Care (26 monitors)

General psychiatry (8 monitors)

General psychiatry and substance abuse (8 monitors)

Change in performance: General psychiatry (3 monitors)

Change in performance: General psychiatry and substance abuse (3 monitors)

Bed capacity/Long-term care (4 monitors)

III. Outpatient Care (30 monitors)

General psychiatry (5 monitors)

General psychiatry and substance abuse (5 monitors)

Change in performance: General psychiatry (3 monitors)

Change in performance: General psychiatry and substance abuse (3 monitors)

Continuity of care (7 monitors)

Medical service (3 monitors)

Treatment of dual diagnosis patients (4 monitors)

IV. Economic Performance (8 monitors)

Distribution (3 monitors)

Proportion of resources to inpatient care (1 monitor)

Efficiency (4 monitors)

Table 1-2. Comparison of national monitoring average values for April 1, 2003 through March 31, 2004 and April 1, 2004 through March 31, 2005.

| | Mean April 1, 2002- March 31, 2003 | Mean April 1, 2003- March 31, 2004 | Percent Change | Weights Monitors | Domains |
|---|--|--|-------------------|---------------------|---------|
| 1. Overall Ranking | | | | | |
| Access | | | | | 1.00 |
| Inpatient Care | | | | | 1.00 |
| Outpatient Care | | | | | 1.00 |
| Economic Performance | | | | | 1.00 |
| Satisfaction | | | | | 1.00 |
| 2. Access/ Population Coverage: % of Veterans Using VA Mental Health Services in Population (adjusted) | | | | | |
| All Veterans | 2.6% | 2.7% | 5.8% | | |
| All NSC Eligible | 8.3% | 9.0% | 8.1% | | |
| All Service Connected for Psychiatric Dx. | 43.6% | 44.5% | 2.2% | | |
| SC for Psychosis | 49.1% | 49.4% | 0.6% | 1.00 | |
| SC Non Psychotic Dx. | 21.9% | 22.8% | 4.2% | 1.00 | |
| SC for PTSD | 55.1% | 54.7% | -0.8% | 1.00 | |
| 3. Inpatient Care | | | | | |
| 3.1 General Psychiatry | | | | | |
| Average Length of Stay | 13.11 | 12.45 | -5.0% | 0.80 | |
| Bed Days in 6 Months Before Discharge | 14.92 | 14.22 | -4.7% | 0.80 | |
| Bed Days in 6 Months After Discharge | 5.71 | 5.37 | -6.0% | 1.60 | |
| Re-admissions in 6 Months After Discharge | 0.50 | 0.50 | 0.0% | 1.60 | |
| Readmission Rates | | | | | |
| 14 days (%) | 6.9% | 7.1% | 2.5% | 0.53 | |
| 30 days (%) | 11.4% | 11.3% | -1.2% | 0.53 | |
| 180 days (%) | 30.2% | 30.0% | -0.6% | 0.53 | |
| Days to Readmission, 6 months after discharge | 62.66 | 62.95 | 0.5% | -1.60 | |
| 3.2A General Psychiatry and Substance Abuse | | | | | 1.50 |
| Average Length of Stay | 12.76 | 12.39 | -2.9% | 0.80 | |
| Bed Days in 6 Months Before Discharge | 14.42 | 14.03 | -2.7% | 0.80 | |
| Bed Days in 6 Months After Discharge | 5.59 | 5.37 | -3.9% | 1.60 | |
| Re-admissions in 6 months after discharge | 0.50 | 0.50 | 0.0% | 1.60 | |
| Readmission Rates | | | | | |
| 14 days (%) | 6.9% | 7.1% | 2.9% | 0.53 | |
| 30 days (%) | 11.5% | 11.3% | -1.4% | 0.53 | |
| 180 days (%) | 30.4% | 30.1% | -1.0% | 0.53 | |
| Days to Readmission, 6 months after discharge | 62.47 | 62.92 | 0.7% | -1.60 | |
| 3.3 Change in Inpatient performance 4/1/02 through 3/31/03 - 4/1/03 through 3/31/04: Gen Psychiatry | | | | | |
| Average length of stay (change in %) | -1.8% | -5.0% | N/A | 1.00 | |
| Bed days 6 months after discharge (change in %) | -2.8% | -6.0% | N/A | 1.00 | |
| Readmitted within 30 days (change in %) | -1.9% | -1.2% | N/A | 1.00 | |

Table 1-2. Comparison of national monitoring average values for April 1, 2003 through March 31, 2004 and April 1, 2004 through March 31, 2005.

| | Mean April 1, 2002- March 31, 2003 | Mean April 1, 2003- March 31, 2004 | Percent Change | Weights Monitors | Domains |
|---|--|--|-------------------|---------------------|---------|
| 3.4A Change in Inpatient performance 4/1/02 through 3/31/03- 4/1/03 through 3/31/04: Gen Psychiatry and Substance Abuse | | | | | |
| Average length of stay (change in %) | 1.90% | -2.40% | N/A | 1.00 | |
| Bed days 6 months after discharge (change in %) | 1.90% | -2.00% | N/A | 1.00 | |
| Readmitted within 30 days (change in %) | 0.10% | -0.10% | N/A | 1.00 | |
| 3.5. Bed Capacity | | | | | 0.75 |
| Mental Health Beds per 10,000 veterans | 1.77 | 1.76 | -0.7% | 2.00 | |
| General Psychiatry beds Occupied > 6 months (%) | 14.0% | 12.6% | -9.9% | 0.67 | |
| General Psychiatry beds Occupied > 1 year (%) | 10.7% | 9.1% | -14.9% | 0.67 | |
| General Psychiatry beds Occupied > 3 years (%) | 4.6% | 4.4% | -4.6% | 0.67 | |
| 4. Outpatient Care | | | | | |
| 4.1 General Psychiatry | | | | | |
| Any General Psych. Outpatient Visit, 6 mos. after discharge (%) | 80.7% | 80.5% | -0.3% | 0.63 | |
| Any General Psych. Outpatient Visit, 30 days after discharge (%) | 58.4% | 57.7% | -1.2% | 0.63 | |
| Days to 1st General Psych. Outpatient Visit, 6 mos. after discharge | 28.57 | 28.99 | 1.5% | -1.25 | |
| Average General psych stops, 6 mos. after discharge | 14.79 | 14.45 | -2.3% | 1.25 | |
| Continuity (bi-months with two GP or SA. stops in 6 mos.) | 2.18 | 2.20 | 0.7% | 1.25 | |
| 4.2B General Psychiatry and Substance Abuse | | | | | 1.429 |
| Any Outpatient Visit, 6 mos. after discharge (%) | 83.5% | 83.6% | 0.2% | 0.63 | |
| Any Outpatient Visit, 30 days after discharge (%) | 63.8% | 64.0% | 0.3% | 0.63 | |
| Days to 1st Outpatient Visit, 6 mos. after discharge | 25.00 | 24.80 | -0.8% | -1.25 | |
| Average stops, 6 mos. after discharge | 23.40 | 23.30 | -0.4% | 1.25 | |
| Continuity (bi-months with two stops in 6 mos.) | 2.16 | 2.19 | 1.4% | 1.25 | |
| 4.3 Medical-Surgical Treatment | | | | | 0.714 |
| Any M-S Outpatient Visit, 6 mos. after discharge (%) | 84.6% | 85.3% | 0.8% | 1.00 | |
| Days to 1st M-S OP Visit, 6 mos. after discharge | 36.60 | 36.08 | -1.4% | -1.00 | |
| Average M-S stops, 6 mos. after discharge | 8.61 | 8.66 | 0.6% | 1.00 | |
| 4.3 Dual Diagnosis Treatment (Gen Psych and SA) | | | | | 0.714 |
| 1 GP and 1 SA OP visit in 6 mos. after discharge (%) | 21.2% | 21.3% | 0.5% | 0.67 | |
| 3 GP and 3 SA OP visits in 6 mos. after discharge (%) | 16.8% | 17.0% | 1.4% | 0.67 | |
| Continuity (bi-months with two GP or SA stops in 6 mos.) | 2.15 | 2.17 | 1.1% | 1.33 | |
| Average GP and SA stops, 6 mos. after discharge | 23.40 | 23.30 | -0.4% | 1.33 | |
| 4.4 Change in Outpatient performance 4/1/02 through 3/31/03- 4/1/03 through 3/31/04: Gen Psychiatry | | | | | |
| Any General Psych. Outpatient Visit, 30 days after discharge (change in %) | -0.80% | -1.18% | 46.9% | 0.75 | |
| Any General Psych. Outpatient Visit, 6 mos. after discharge (change in %) | 0.5% | -0.4% | -170.7% | 0.75 | |
| Average General psych stops, 6 mos. after discharge (change in %) | -0.7% | -2.3% | 228.4% | 1.50 | |
| 4.5A Change in Outpatient performance 4/1/02 through 3/31/03- 4/1/03 through 3/31/04: Gen Psych and Substance Abuse | | | | | 0.714 |
| Any General Psych. Outpatient Visit, 30 days after discharge (change in %) | 0.6% | -0.5% | -188.1% | 0.75 | |
| Any General Psych. Outpatient Visit, 6 mos. after discharge (change in %) | 1.80% | 0.4% | -80.0% | 0.75 | |
| Average General psych stops, 6 mos. after discharge (change in %) | -1.7% | -3.3% | 95.6% | 1.50 | |
| 4.5B Continuity of outpatient care among patients with schizophrenia and affective psychosis | | | | | 1.429 |
| Number of outpatient stops | 15.30 | 14.71 | -3.9% | 1.00 | |
| Number of days with outpatient stops | 11.68 | 11.28 | -3.4% | 1.00 | |
| Continuity: Bi-months with 2 stops | 2.53 | 2.53 | -0.1% | 1.00 | |
| Continuity: Months with any stops | 3.89 | 3.87 | -0.4% | 1.00 | |
| Dropout (6 months with no outpatient visit) | 0.12 | 0.15 | 23.8% | -1.00 | |
| Continuity of Care Index | 0.56 | 0.55 | -1.2% | 1.00 | |
| Modified MCI | 0.79 | 0.78 | -1.3% | 1.00 | |
| Number of Providers | 2.78 | 2.80 | 0.6% | | |
| 6. Economic Performance | | | | | |
| 6.2 Equity | | | | | 0.75 |

Table 1-2. Comparison of national monitoring average values for April 1, 2003 through March 31, 2004 and April 1, 2004 through March 31, 2005.

| | Mean April 1, 2002- March 31, 2003 | Mean April 1, 2003- March 31, 2004 | Percent Change | Weights Monitors | Domains |
|--|--|--|-------------------|---------------------|---------|
| Proportion of inpatient resources for mental health | 11.8% | | -100.0% | 1.00 | |
| Proportion of outpatient resources for mental health | 8.6% | | -100.0% | 1.00 | |
| Proportion of research and education resources for mental health | 9.0% | | -100.0% | 1.00 | |
| 6.3 Proportion of mental health resources for inpatient care (%) | 52.9% | | -100.0% | | -0.75 |
| 6.5 Inefficiency | | | | | -1.50 |
| Cost per capita: general psychiatry | \$2,261 | | -100.0% | | |
| Cost per capita: substance abuse | \$2,952 | | -100.0% | | |
| Cost per capita: all mental health | \$2,617 | | -100.0% | | |
| Mental health/non-mental health ratio of per capita cost | 0.70 | | -100.0% | | |

DRAFT

Table 1-3. Ranking of VISNs on major domain summary measures, and average ranking across major domain measures: April 1, 2003 through March 31, 2004.

| VISN | <i><u>RANK ON MAJOR DOMAIN MEASURES</u></i> | | | | | <i><u>SUMMARY RANK</u></i> | |
|---------------------------------|---|----------------|-----------------|----------------|------------------------|----------------------------|---------------|
| | Population Coverage | Inpatient Care | Outpatient Care | Economic Perf. | Customer Satisfaction† | Avg. Rank | Overall Rank† |
| 1 | 16 | 21 | 12 | | | 16.3 | |
| 2 | 3 | 11 | 1 | | | 5.0 | |
| 3 | 17 | 18 | 5 | | | 13.3 | |
| 4 | 8 | 16 | 13 | | | 12.3 | |
| 5 | 19 | 17 | 8 | | | 14.7 | |
| 6 | 7 | 19 | 18 | | | 14.7 | |
| 7 | 6 | 10 | 14 | | | 10.0 | |
| 8 | 5 | 2 | 19 | | | 8.7 | |
| 9 | 10 | 15 | 21 | | | 15.3 | |
| 10 | 1 | 6 | 7 | | | 4.7 | |
| 11 | 18 | 20 | 10 | | | 16.0 | |
| 12 | 15 | 14 | 3 | | | 10.7 | |
| 15 | 2 | 12 | 9 | | | 7.7 | |
| 16 | 9 | 8 | 16 | | | 11.0 | |
| 17 | 12 | 13 | 17 | | | 14.0 | |
| 18 | 11 | 1 | 15 | | | 9.0 | |
| 19 | 14 | 9 | 4 | | | | |
| 20 | 13 | 7 | 6 | | | 8.7 | |
| 21 | 20 | 3 | 20 | | | 14.3 | |
| 22 | 21 | 5 | 11 | | | 12.3 | |
| 23 | 4 | 4 | 2 | | | 3.3 | |
| Summaries of Subdomain Measures | | | | | | | |
| VISN | Table 2-4 | Table 3-9 | Table 4-6 | Table 6-6 | Table 7-2,7-3 | | |

†Data not available in interim report

Table 1-4. Ranking of VISNs on major performance domain summary measures, and average ranking across major domains: April 1, 2003 through March 31, 2004 and April 1, 2004 through March 31, 2005.

| VISN | RANK ON MAJOR PERFORMANCE DOMAINS | | | | | | | | | | SUMMARY | | | |
|--|-----------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|------------------------|----------------------|--------------------------------------|----------------------|----------------------|----------------------|
| | Population Coverage | | Inpatient Care | | Outpatient Care | | Economic Performance | | Customer Satisfaction† | | Average Rank | | Overall Rank | |
| | 4/1/03- 3/31/2004 | 4/1/04- 3/31/2005 | 4/1/03- 3/31/2004 | 4/1/04- 3/31/2005 | 4/1/03- 3/31/2004 | 4/1/04- 3/31/2005 | 4/1/03- 3/31/2004 | 4/1/04- 3/31/2005 | 4/1/03- 3/31/2004 | 4/1/04- 3/31/2005 | 4/1/03- 3/31/2004 | 4/1/04- 3/31/2005 | 4/1/03- 3/31/2004 | 4/1/04- 3/31/2005 |
| 1 | 15 | 16 | 20 | 21 | 10 | 12 | 14 | 0 | | | Data not available in interim report | | | |
| 2 | 4 | 3 | 15 | 11 | 1 | 1 | 6 | 0 | | | | | | |
| 3 | 19 | 17 | 12 | 18 | 8 | 5 | 20 | 0 | | | | | | |
| 4 | 9 | 8 | 18 | 16 | 15 | 13 | 18 | 0 | | | | | | |
| 5 | 18 | 19 | 21 | 17 | 2 | 8 | 19 | 0 | | | | | | |
| 6 | 7 | 7 | 19 | 19 | 20 | 18 | 17 | 0 | | | | | | |
| 7 | 6 | 6 | 10 | 10 | 16 | 14 | 7 | 0 | | | | | | |
| 8 | 5 | 5 | 3 | 2 | 13 | 19 | 4 | 0 | | | | | | |
| 9 | 8 | 10 | 4 | 15 | 21 | 21 | 10 | 0 | | | | | | |
| 10 | 2 | 1 | 1 | 6 | 4 | 7 | 2 | 0 | | | | | | |
| 11 | 17 | 18 | 17 | 20 | 11 | 10 | 21 | 0 | | | | | | |
| 12 | 13 | 15 | 13 | 14 | 3 | 3 | 12 | 0 | | | | | | |
| 15 | 1 | 2 | 6 | 12 | 7 | 9 | 11 | 0 | | | | | | |
| 16 | 12 | 9 | 7 | 8 | 14 | 16 | 8 | 0 | | | | | | |
| 17 | 14 | 12 | 11 | 13 | 18 | 17 | 15 | 0 | | | | | | |
| 18 | 11 | 11 | 14 | 1 | 12 | 15 | 4 | 0 | | | | | | |
| 19 | 16 | 14 | 8 | 9 | 6 | 4 | 13 | 0 | | | | | | |
| 20 | 10 | 13 | 5 | 7 | 9 | 6 | 3 | 0 | | | | | | |
| 21 | 21 | 20 | 16 | 3 | 19 | 20 | 16 | 0 | | | | | | |
| 22 | 20 | 21 | 9 | 5 | 17 | 11 | 9 | 0 | | | | | | |
| 23 | 3 | 4 | 2 | 4 | 5 | 2 | 5 | 0 | | | | | | |
| Correlation 4/1/02-3/31/03- 4/1/03-3/31/04 | 0.97 | | 0.59 | | 0.88 | | #DIV/0! | | | | | | | |

* Based on data from Tables 2-4, 3-9, and 4-6 which summarize data from Tables 2-3 and 2-4; Tables 3-1 to 3-5 and Tables 4-1 to 4-5.

Tied rank with at least one other VISN.

† Data not available in interim report.

Table 2-1. Characteristics of veteran population by VISN (based on 1990 and 2000 census data as well as the March 2005 Compensation and Pension file as indicated).

| <i>VISN</i> | <i>Total Vet Population 2000</i> | <i>Percent Female 2000</i> | <i>Percent Black 2000</i> | <i>Percent Hispanic 2000</i> | <i>Percent Poverty 2000</i> | <i>% Family Inc. <\$10,000 2000</i> | <i>Percent Not Employed 2000</i> | <i>Percent Live Alone 1990</i> |
|-------------|--|------------------------------------|-----------------------------------|--------------------------------------|-------------------------------------|--|--|--|
| 1 | 1,327,933 | 5.3% | 2.9% | 1.7% | 6.2% | 5.8% | 46.7% | 12.2% |
| 2 | 617,040 | 5.0% | 9.1% | 4.7% | 7.5% | 6.9% | 52.4% | 12.4% |
| 3 | 1,230,989 | 4.7% | 10.4% | 5.9% | 7.1% | 6.3% | 50.6% | 13.8% |
| 4 | 1,635,354 | 4.9% | 9.3% | 1.6% | 7.2% | 6.5% | 50.4% | 11.9% |
| 5 | 827,066 | 8.1% | 22.5% | 1.9% | 5.7% | 5.0% | 40.3% | 12.8% |
| 6 | 1,383,878 | 7.7% | 18.4% | 1.6% | 7.7% | 6.2% | 42.4% | 11.4% |
| 7 | 1,501,145 | 7.1% | 22.0% | 1.4% | 7.7% | 6.9% | 42.0% | 11.3% |
| 8 | 1,935,726 | 6.2% | 8.3% | 12.8% | 7.3% | 7.4% | 54.5% | 12.8% |
| 9 | 1,099,248 | 5.7% | 11.0% | 1.0% | 9.0% | 7.7% | 45.3% | 11.1% |
| 10 | 1,066,077 | 4.9% | 9.2% | 0.9% | 6.8% | 6.1% | 46.8% | 12.3% |
| 11 | 1,533,351 | 4.9% | 9.3% | 1.4% | 6.3% | 6.1% | 46.2% | 12.0% |
| 12 | 1,221,864 | 5.0% | 10.4% | 2.8% | 6.3% | 5.5% | 46.1% | 13.1% |
| 15 | 1,030,765 | 5.3% | 7.2% | 1.5% | 7.8% | 7.2% | 46.2% | 12.2% |
| 16 | 1,946,911 | 6.3% | 14.4% | 3.0% | 9.8% | 8.5% | 46.7% | 12.7% |
| 17 | 1,092,479 | 7.7% | 10.5% | 16.3% | 7.6% | 7.0% | 42.3% | 12.6% |
| 18 | 948,529 | 6.5% | 5.3% | 12.9% | 8.2% | 6.9% | 46.3% | 13.5% |
| 19 | 799,369 | 6.7% | 3.1% | 6.1% | 7.0% | 5.8% | 41.3% | 14.3% |
| 20 | 1,248,708 | 6.9% | 2.7% | 2.4% | 7.4% | 6.5% | 44.6% | 13.9% |
| 21 | 1,280,265 | 6.5% | 6.4% | 8.0% | 7.4% | 6.9% | 47.5% | 14.4% |
| 22 | 1,638,730 | 6.6% | 8.9% | 12.3% | 7.8% | 6.9% | 46.9% | 14.9% |
| 23 | 1,184,277 | 5.2% | 2.0% | 1.1% | 6.7% | 5.9% | 42.7% | 12.3% |
| All US | 26,549,704 | 6.1% | 9.8% | 4.9% | 7.5% | 6.7% | 46.4% | 12.8% |
| Mean | 1,264,272 | 6.1% | 10.1% | 5.0% | 7.4% | 6.6% | 46.3% | 12.8% |
| SD | 340,020 | 1.0% | 5.4% | 4.7% | 0.9% | 0.8% | 3.6% | 1.0% |
| CV | 0.27 | 0.17 | 0.54 | 0.95 | 0.12 | 0.12 | 0.08 | 0.08 |

| <u>Miles from Health Care Provider</u> | | | | | | | |
|--|---|---|--------------------------------|-------------------------------------|--|------------------------------------|----------------------|
| <i>VISN</i> | <i>Lived in same city past 5 yrs 1990</i> | <i>Percent > 65 years old 2000</i> | <i>Percent SC 2005</i> | <i>Percent 100% SC 2005</i> | <i>Percent VA Pension 2005</i> | <i>VA OPC Service 2000</i> | <i>VAMC 2000</i> |
| 1 | 86.7% | 40.7% | 9.8% | 1.1% | 0.8% | 9.5 | 27.1 |
| 2 | 87.6% | 42.1% | 9.3% | 1.1% | 1.1% | 9.7 | 29.5 |
| 3 | 89.5% | 43.6% | 7.7% | 0.8% | 0.9% | 5.3 | 13.2 |
| 4 | 88.5% | 42.0% | 8.2% | 1.0% | 1.1% | 10.0 | 23.7 |
| 5 | 77.9% | 31.7% | 10.4% | 0.9% | 0.7% | 10.3 | 18.9 |
| 6 | 78.3% | 31.5% | 13.1% | 1.5% | 1.2% | 19.1 | 35.4 |
| 7 | 78.6% | 30.2% | 13.2% | 1.8% | 1.7% | 17.3 | 40.3 |
| 8 | 70.6% | 44.2% | 12.2% | 1.8% | 1.8% | 9.6 | 45.1 |
| 9 | 83.4% | 33.7% | 11.8% | 1.8% | 1.9% | 17.9 | 43.2 |
| 10 | 86.9% | 37.3% | 8.5% | 1.0% | 1.3% | 9.9 | 28.4 |
| 11 | 85.7% | 36.0% | 7.6% | 0.8% | 0.9% | 15.5 | 38.3 |
| 12 | 87.9% | 38.2% | 7.4% | 0.8% | 1.0% | 10.9 | 29.8 |
| 15 | 82.9% | 37.5% | 9.7% | 1.1% | 1.3% | 15.4 | 37.0 |
| 16 | 81.9% | 34.3% | 12.7% | 1.9% | 2.0% | 20.2 | 48.5 |
| 17 | 79.3% | 32.3% | 14.5% | 1.6% | 1.5% | 13.2 | 48.0 |
| 18 | 76.5% | 35.5% | 12.4% | 1.5% | 1.2% | 12.4 | 56.9 |
| 19 | 77.8% | 32.2% | 11.3% | 1.3% | 0.9% | 17.2 | 55.5 |
| 20 | 77.2% | 31.3% | 12.3% | 1.4% | 1.0% | 23.1 | 88.9 |
| 21 | 78.4% | 36.2% | 9.6% | 1.1% | 0.9% | 11.0 | 33.4 |
| 22 | 80.1% | 36.5% | 9.1% | 0.9% | 0.9% | 7.9 | 24.6 |
| 23 | 85.0% | 37.0% | 10.2% | 1.2% | 1.2% | 21.8 | 56.5 |
| All US | 82.2% | 36.6% | 7.8% | 0.5% | 1.4% | 13.8 | 39.2 |
| Mean | 82.1% | 36.4% | 7.9% | 0.5% | 1.4% | 13.7 | 39.1 |
| SD | 4.8% | 4.1% | 1.3% | 0.1% | 0.5% | 4.8 | 16.3 |
| CV | 0.06 | 0.11 | 0.16 | 0.25 | 0.38 | 0.35 | 0.42 |

Table 2-2. Veteran population by priority category and service connected diagnostic group (2000 Census data and Compensation and Pension file, 4/1/04 through 3/31/05).

| VISN | Total Vet Population 2000 | Service Connected Illness | | | |
|--------|---------------------------------|---------------------------|------------|---------|-----------|
| | | Psychosis | Oth psych. | PTSD | All Psych |
| 1 | 1,327,933 | 5,213 | 11,503 | 14,651 | 31,367 |
| 2 | 617,040 | 2,570 | 3,671 | 5,996 | 12,237 |
| 3 | 1,230,989 | 6,466 | 8,794 | 10,964 | 26,224 |
| 4 | 1,635,354 | 6,498 | 7,925 | 12,751 | 27,174 |
| 5 | 827,066 | 2,687 | 3,050 | 5,180 | 10,917 |
| 6 | 1,383,878 | 5,145 | 7,714 | 14,400 | 27,259 |
| 7 | 1,501,145 | 6,349 | 7,379 | 16,267 | 29,995 |
| 8 | 1,935,726 | 12,632 | 16,159 | 15,126 | 43,917 |
| 9 | 1,099,248 | 4,121 | 7,137 | 12,095 | 23,353 |
| 10 | 1,066,077 | 4,124 | 5,545 | 6,614 | 16,283 |
| 11 | 1,533,351 | 5,261 | 6,065 | 7,248 | 18,574 |
| 12 | 1,221,864 | 4,064 | 4,484 | 7,425 | 15,973 |
| 15 | 1,030,765 | 3,734 | 4,395 | 8,883 | 17,012 |
| 16 | 1,946,911 | 8,865 | 11,352 | 25,897 | 46,114 |
| 17 | 1,092,479 | 4,138 | 5,577 | 12,791 | 22,506 |
| 18 | 948,529 | 3,276 | 4,925 | 13,207 | 21,408 |
| 19 | 799,369 | 2,495 | 3,377 | 8,517 | 14,389 |
| 20 | 1,248,708 | 4,105 | 5,215 | 19,102 | 28,422 |
| 21 | 1,280,265 | 4,421 | 4,399 | 15,574 | 24,394 |
| 22 | 1,638,730 | 5,853 | 5,785 | 13,399 | 25,037 |
| 23 | 1,184,277 | 3,973 | 5,833 | 10,403 | 20,209 |
| All US | 26,549,704 | 105,990 | 140,284 | 256,490 | 502,764 |
| Mean | 1,264,272 | 5,047 | 6,680 | 12,214 | 23,941 |
| SD | 340,020 | 2,264 | 3,092 | 4,787 | 8,865 |
| CV | 0.27 | 0.45 | 0.46 | 0.39 | 0.37 |

| VISN | Percent of Veteran Population with SC Illness | | | |
|--------|---|------------|-------|-----------|
| | Psychosis | Oth psych. | PTSD | Any Psych |
| 1 | 0.39% | 0.87% | 1.10% | 2.36% |
| 2 | 0.42% | 0.59% | 0.97% | 1.98% |
| 3 | 0.53% | 0.71% | 0.89% | 2.13% |
| 4 | 0.40% | 0.48% | 0.78% | 1.66% |
| 5 | 0.32% | 0.37% | 0.63% | 1.32% |
| 6 | 0.37% | 0.56% | 1.04% | 1.97% |
| 7 | 0.42% | 0.49% | 1.08% | 2.00% |
| 8 | 0.65% | 0.83% | 0.78% | 2.27% |
| 9 | 0.37% | 0.65% | 1.10% | 2.12% |
| 10 | 0.39% | 0.52% | 0.62% | 1.53% |
| 11 | 0.34% | 0.40% | 0.47% | 1.21% |
| 12 | 0.33% | 0.37% | 0.61% | 1.31% |
| 15 | 0.36% | 0.43% | 0.86% | 1.65% |
| 16 | 0.46% | 0.58% | 1.33% | 2.37% |
| 17 | 0.38% | 0.51% | 1.17% | 2.06% |
| 18 | 0.35% | 0.52% | 1.39% | 2.26% |
| 19 | 0.31% | 0.42% | 1.07% | 1.80% |
| 20 | 0.33% | 0.42% | 1.53% | 2.28% |
| 21 | 0.35% | 0.34% | 1.22% | 1.91% |
| 22 | 0.36% | 0.35% | 0.82% | 1.53% |
| 23 | 0.34% | 0.49% | 0.88% | 1.71% |
| All US | 0.40% | 0.53% | 0.97% | 1.89% |
| Mean | 0.39% | 0.52% | 0.97% | 1.88% |
| SD | 0.08% | 0.14% | 0.27% | 0.35% |
| CV | 0.20 | 0.28 | 0.28 | 0.19 |

Table 2-3. Use of VA mental health services by priority category and service connected diagnostic group (4/1/04 through 3/1/05 utilization data from PTF and OPF; SC status from Compensation and Pension file) (1).

| VISN | All VA MH Service Users | NSC MH Users | SC Veterans Who Used VA Mental Health Services | | | |
|--------|----------------------------|-----------------|--|------------|---------|-----------|
| | | | Psychosis | Oth psych. | PTSD | All Psych |
| 1 | 35,818 | 22,851 | 2,576 | 2,323 | 8,068 | 12,967 |
| 2 | 19,147 | 13,339 | 1,313 | 937 | 3,558 | 5,808 |
| 3 | 29,634 | 23,497 | 2,796 | 1,506 | 6,137 | 10,439 |
| 4 | 37,609 | 25,324 | 3,321 | 1,590 | 7,374 | 12,285 |
| 5 | 18,288 | 13,543 | 1,325 | 624 | 2,796 | 4,745 |
| 6 | 39,587 | 26,692 | 2,615 | 1,947 | 8,333 | 12,895 |
| 7 | 44,805 | 29,987 | 3,286 | 1,673 | 9,859 | 14,818 |
| 8 | 64,238 | 45,418 | 6,086 | 3,907 | 8,827 | 18,820 |
| 9 | 32,677 | 22,322 | 2,084 | 1,561 | 6,710 | 10,355 |
| 10 | 33,730 | 26,143 | 2,349 | 1,416 | 3,822 | 7,587 |
| 11 | 30,595 | 22,979 | 2,504 | 1,129 | 3,983 | 7,616 |
| 12 | 27,604 | 20,547 | 1,836 | 961 | 4,260 | 7,057 |
| 15 | 30,240 | 21,899 | 1,968 | 1,142 | 5,231 | 8,341 |
| 16 | 66,069 | 45,310 | 4,550 | 2,745 | 13,464 | 20,759 |
| 17 | 33,241 | 22,902 | 2,081 | 1,244 | 7,014 | 10,339 |
| 18 | 31,430 | 21,691 | 1,590 | 1,114 | 7,035 | 9,739 |
| 19 | 20,613 | 14,199 | 1,162 | 766 | 4,486 | 6,414 |
| 20 | 36,771 | 24,252 | 2,058 | 1,268 | 9,193 | 12,519 |
| 21 | 31,750 | 21,020 | 2,063 | 906 | 7,761 | 10,730 |
| 22 | 41,685 | 31,120 | 2,692 | 1,274 | 6,599 | 10,565 |
| 23 | 31,901 | 22,729 | 2,078 | 1,432 | 5,662 | 9,172 |
| All US | 737,432 | 513,462 | 52,333 | 31,465 | 140,172 | 223,970 |
| Mean | 35,116 | 24,655 | 2,492 | 1,498 | 6,675 | 10,665 |
| SD | 11,748 | 8,053 | 1,103 | 728 | 2,469 | 3,899 |
| CV | 0.33 | 0.33 | 0.44 | 0.49 | 0.37 | 0.37 |

Percent Who Used VA Mental Health Services

| VISN | All Veterans | Veterans Service Connected for Psychiatric Disorder | | | | Score: Average Z |
|--------|--------------|---|--------------|--------------|--------------|---------------------|
| | | Psychosis | Oth psych. | PTSD | All Psych. | |
| 1 | 2.7% | 49.4% | <u>20.2%</u> | 55.1% | <u>41.3%</u> | -0.37 |
| 2 | 3.1% | 51.1% | 25.5% | 59.3% | 47.5% | 0.88 |
| 3 | 2.4% | <u>43.2%</u> | 31.8% | 56.0% | <u>39.8%</u> | 0.41 |
| 4 | <u>2.3%</u> | 51.1% | <u>20.1%</u> | 57.8% | 45.2% | 0.08 |
| 5 | <u>2.2%</u> | 49.3% | 20.5% | 54.0% | 43.5% | -0.46 |
| 6 | 2.9% | 50.8% | 25.2% | 57.9% | 47.3% | 0.67 |
| 7 | 3.0% | 51.8% | 22.7% | 60.6% | 49.4% | 0.74 |
| 8 | 3.3% | 48.2% | 24.2% | 58.4% | 42.9% | 0.29 |
| 9 | 3.0% | 50.6% | 21.9% | 55.5% | 44.3% | 0.00 |
| 10 | 3.2% | 57.0% | 25.5% | 57.8% | 46.6% | 1.38 |
| 11 | <u>2.0%</u> | 47.6% | <u>18.6%</u> | 55.0% | <u>41.0%</u> | -0.78 |
| 12 | <u>2.3%</u> | <u>45.2%</u> | 21.4% | 57.4% | 44.2% | -0.47 |
| 15 | 2.9% | 52.7% | 26.0% | 58.9% | 49.0% | 1.07 |
| 16 | 3.4% | 51.3% | 24.2% | 52.0% | 45.0% | 0.01 |
| 17 | 3.0% | 50.3% | 22.3% | 54.8% | 45.9% | -0.05 |
| 18 | 3.3% | 48.5% | 22.6% | 53.3% | 45.5% | -0.36 |
| 19 | 2.6% | 46.6% | 22.7% | 52.7% | 44.6% | -0.64 |
| 20 | 2.9% | 50.1% | 24.3% | <u>48.1%</u> | 44.0% | -0.50 |
| 21 | 2.5% | 46.7% | 20.6% | <u>49.8%</u> | 44.0% | -1.16 |
| 22 | 2.5% | <u>46.0%</u> | 22.0% | <u>49.2%</u> | <u>42.2%</u> | -1.12 |
| 23 | 2.7% | 52.3% | 24.5% | 54.4% | 45.4% | 0.41 |
| All US | 2.8% | 49.4% | 22.4% | 54.7% | 44.5% | |
| Mean | 2.8% | 49.5% | 23.2% | 55.1% | 44.7% | |
| SD | 0.4% | 3.0% | 2.8% | 3.3% | 2.4% | |
| CV | 0.14 | 0.06 | 0.12 | 0.06 | 0.05 | |

(1) Underlined values are 1.0 standard deviation below the means of all VISNs.

Table 2-4. Percent Who Used VA Mental Health Services Adjusted for Sociodemographic Factors and Availability of Non-VA Services (1, 2).

| VISN | | | Veterans Service Connected for Psychiatric Disorder | | | | Summary Adj. Score: Average Z | Summary Unadj. Score: Average Z | Average Summary Score # | Summary Coverage Score: Rank |
|--------|--------------|---------------|---|--------------|--------------|--------------|-------------------------------------|---------------------------------------|-------------------------------|------------------------------------|
| | All Veterans | All NSC Elig. | Psychosis | Oth psych. | PTSD | All SC Psych | | | | |
| 1 | 3.0% | 8.1% | 44.1% | 20.1% | 52.0% | 38.4% | -0.48 | -0.37 | -0.43 | 16 |
| 2 | 3.3% | 7.3% | 46.2% | 25.4% | 57.3% | 45.4% | 0.91 | 0.88 | 0.89 | 3 |
| 3 | 2.6% | 6.9% | 36.4% | 17.1% | 52.3% | 36.5% | -1.57 | 0.41 | -0.58 | 17 |
| 4 | 2.6% | 4.8% | 45.7% | 20.8% | 54.9% | 43.1% | 0.04 | 0.08 | 0.06 | 8 |
| 5 | 2.4% | 7.5% | 41.5% | 19.5% | 51.2% | 40.2% | -0.89 | -0.46 | -0.68 | 19 |
| 6 | 2.5% | 6.7% | 45.3% | 23.4% | 56.8% | 44.2% | 0.52 | 0.67 | 0.59 | 7 |
| 7 | 2.4% | 6.7% | 44.8% | 22.2% | 58.4% | 45.8% | 0.49 | 0.74 | 0.61 | 6 |
| 8 | 3.0% | 9.1% | 48.5% | 25.9% | 56.1% | 43.7% | 1.06 | 0.29 | 0.68 | 5 |
| 9 | 2.5% | 5.5% | 44.9% | 20.8% | 53.3% | 41.2% | -0.18 | 0.00 | -0.09 | 10 |
| 10 | 3.4% | 7.9% | 50.8% | 25.5% | 54.7% | 43.9% | 1.11 | 1.38 | 1.25 | 1 |
| 11 | 2.6% | 4.8% | 42.6% | 19.5% | 53.8% | 39.0% | -0.53 | -0.78 | -0.66 | 18 |
| 12 | 2.7% | 6.1% | 39.8% | 22.0% | 56.0% | 42.2% | -0.27 | -0.47 | -0.37 | 15 |
| 15 | 3.2% | 7.3% | 48.3% | 27.3% | 57.6% | 47.3% | 1.37 | 1.07 | 1.22 | 2 |
| 16 | 2.7% | 6.8% | 46.1% | 23.4% | 49.9% | 41.7% | -0.10 | 0.01 | -0.04 | 9 |
| 17 | 2.6% | 8.1% | 43.7% | 21.6% | 51.6% | 41.8% | -0.38 | -0.05 | -0.21 | 12 |
| 18 | 3.4% | 10.2% | 45.3% | 23.5% | 51.7% | 43.1% | 0.01 | -0.36 | -0.17 | 11 |
| 19 | 3.2% | 7.8% | 43.6% | 25.1% | 52.1% | 43.8% | 0.09 | -0.64 | -0.27 | 14 |
| 20 | 3.4% | 7.5% | 46.8% | 25.3% | 47.6% | 43.7% | -0.02 | -0.50 | -0.26 | 13 |
| 21 | 2.8% | 6.4% | 41.2% | 20.8% | 47.5% | 41.6% | -1.14 | -1.16 | -1.15 | 20 |
| 22 | 2.9% | 7.7% | 40.3% | 22.0% | 46.5% | 39.3% | -1.19 | -1.12 | -1.16 | 21 |
| 23 | 3.1% | 7.5% | 50.0% | 27.5% | 53.5% | 45.1% | 1.15 | 0.41 | 0.78 | 4 |
| All US | 2.7% | 9.0% | 49.4% | 22.8% | 54.7% | 44.5% | | | | |
| Mean | 2.9% | 7.2% | 44.6% | 22.8% | 53.1% | 42.4% | | | | |
| SD | 0.3% | 1.2% | 3.4% | 2.7% | 3.3% | 2.6% | | | | |
| CV | 11.8% | 17.4% | 7.7% | 11.9% | 6.2% | 6.2% | | | | |

Table 3-1. Deviation of inpatient service utilization from that of the median VISN, during the first six months following discharge from VA inpatient units, April 1, 2004 through March 31, 2005 (adjusted for patient characteristics, distance of residence from VA, diagnosis, etc.).†

INPATIENT GENERAL PSYCHIATRY

| <i>VISN</i> | <i>Number of Unique Patients</i> | <i>Average Length Of Stay</i> | <i>Bed Days 6 months Before DC</i> | <i>Bed Days 6 months After DC</i> | <i>Number of Admissions 6 months After D/C</i> | <i>% Readm. within 14 days</i> | <i>% Readm. within 30 days</i> | <i>% Readm. within 180 days</i> | <i>Days to Readm. First Year After D/C</i> | <i>Summary IP Gen. Psyc. Score (avg Z) Weighted</i> |
|------------------|--|---------------------------------------|--|---|--|--|--|---|--|---|
| VISN Median | | 12.70 | 14.76 | 5.97 | 0.50 | 7.23% | 11.16% | 28.92% | 62.38 | |
| VA National Avg. | | 12.45 | 14.22 | 5.37 | 0.50 | 7.07% | 11.29% | 30.00% | 62.95 | |
| 1 | 1,721 | 3.75 X | 3.77 X | 1.23 X | 0.01 | 0.14% | 0.41% | 1.12% | -1.84 | 0.61 |
| 2 | 772 | 1.65 | 0.43 | -0.98 | -0.02 | -1.53% | -1.08% | 0.64% | 5.39 | -0.64 |
| 3 | 1,308 | 4.83 X | 4.39 X | 0.56 | -0.05 | 0.91% | -2.03% | -1.64% | 6.25 | -0.35 |
| 4 | 1,562 | 2.86 X | 2.79 X | -0.06 | -0.08 | 0.73% | -1.73% | -1.53% | 2.95 | -0.38 |
| 5 | 1,419 | -0.75 | -0.12 | 1.72 X | 0.28 X | 2.04% X | 3.16% X | 6.35% X | -2.20 | 1.50 |
| 6 | 2,518 | 0.95 | 0.75 | 0.59 | 0.11 X | 1.55% | 1.92% | 4.23% X | -1.14 | 0.79 |
| 7 | 1,954 | 0.01 | 0.00 | -0.81 | 0.00 | -1.15% | -1.53% | 0.60% | 3.15 | -0.50 |
| 8 | 2,426 | -5.88 | -5.82 | -1.98 | 0.00 | 0.53% | 0.06% | 0.88% | -4.25 | -0.39 |
| 9 | 2,085 | -0.72 | -1.34 | -0.43 | -0.02 | -1.25% | -1.40% | 0.54% | 4.58 | -0.62 |
| 10 | 1,551 | -5.20 | -4.84 | -2.09 | -0.08 | 0.94% | -1.10% | -2.40% | -1.35 | -0.92 |
| 11 | 1,563 | 1.92 X | 2.53 X | 1.35 X | -0.05 | 0.00% | -1.33% | -1.36% | 3.88 | -0.12 |
| 12 | 1,974 | -1.89 | -1.86 | -0.76 | 0.11 X | 1.17% | 0.66% | 4.15% X | 0.00 | 0.27 |
| 15 | 1,977 | 1.11 | 1.79 X | 0.47 | 0.01 | 0.00% | 0.06% | 2.37% | 1.79 | 0.14 |
| 16 | 3,105 | 0.00 | 1.10 | 0.11 | -0.02 | 0.10% | 0.42% | 0.00% | 1.54 | -0.12 |
| 17 | 1,732 | -1.67 | -1.59 | 0.19 | 0.02 | 0.68% | 0.19% | 0.49% | 0.12 | -0.11 |
| 18 | 1,307 | -4.81 | -4.36 | -1.36 | 0.02 | 1.29% | 1.87% | 2.85% | -2.27 | -0.04 |
| 19 | 859 | 3.14 X | 4.65 X | 3.07 X | 0.08 | 1.00% | 2.14% | 2.55% | -4.13 | 1.39 |
| 20 | 1,506 | -3.06 | -3.14 | -1.62 | -0.05 | 0.22% | 0.85% | 0.28% | 3.14 | -0.77 |
| 21 | 1,233 | -3.29 | -2.48 | 0.00 | 0.06 | 0.91% | 1.45% | 2.61% | -1.27 | 0.25 |
| 22 | 1,523 | 1.27 | 2.19 X | 0.65 | -0.06 | 0.83% | 0.42% | 0.49% | -4.17 | 0.38 |
| 23 | 1,344 | -5.49 | -5.74 | -1.81 | 0.07 | 0.14% | 0.00% | 2.11% | -0.80 | -0.36 |

† Sample includes the first episode for all patients discharged during the first half of each year.

X = Significantly different (p<.05) from median VISN in the undesired direction, after adjustment for differences in patient characteristics, distance of residence from VA, diagnosis, etc .

Table 3-2. Deviation of inpatient service utilization from that of the median VISN, during the first six months following discharge from VA inpatient units, (adjusted for patient characteristics, distance of residence from VA, diagnosis, etc.).†

INPATIENT SUBSTANCE ABUSE

| <i>VISN</i> | <i>Number of Unique Patients</i> | <i>Average Length Of Stay</i> | <i>Bed Days 6 months Before DC</i> | <i>Bed Days 6 months After DC</i> | <i>Number of Admissions 6 months After D/C</i> | <i>% Readm. within 14 days</i> | <i>% Readm. within 30 days</i> | <i>% Readm. within 180 days</i> | <i>Days to Readm. First Year After D/C</i> | <i>Summary IP S Ab. Score (avg Z) Weighted</i> |
|------------------|--|---------------------------------------|--|---|--|--|--|---|--|--|
| VISN Median | | | | | | | | | | |
| VA National Avg. | | | | | | | | | | |
| 1 | | | | | | | | | | |
| 2 | | | | | | | | | | |
| 3 | | | | | | | | | | |
| 4 | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 | | | | | | | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |

Specific data for these programs is no longer presented because there were fewer than 100 discharges per VISN from inpatient substance abuse programs.

† Sample includes the first episode for all patients discharged during the first half of each fiscal year.

X = Significantly different ($p < .05$) from median VISN in the undesired direction, after adjustment for differences in patient characteristics, distance of residence from VA, diagnosis, etc.

Table 3-2A. Deviation of inpatient service utilization from that of the median VISN, during the first six months following discharge from VA inpatient units, April 1, 2004 through March 31, 2005, (adjusted for patient characteristics, distance of residence from VA, diagnosis, etc.).†

INPATIENT GENERAL PSYCHIATRY AND SUBSTANCE ABUSE

| <i>VISN</i> | <i>Number of Unique Patients</i> | <i>Average Length Of Stay</i> | <i>Bed Days 6 months Before DC (Psyc. and S/A)</i> | <i>Bed Days 6 months After DC (Psyc. and S/A)</i> | <i>Number of Admissions 6 months After D/C (Psyc. and S/A)</i> | <i>% Readm. within 14 d days (Psyc. and S/A)</i> | <i>% Readm. within 30 days (Psyc. and S/A)</i> | <i>% Readm. within 180 days (Psyc. and S/A)</i> | <i>Days to Readm. First Year After D/C (Psyc. and S/A)</i> | <i>Summary IP Psyc. and SA Score (avg Z) Weighted</i> |
|------------------|--|---------------------------------------|--|---|--|--|--|---|--|---|
| VISN Median | | 12.67 | 14.50 | 5.67 | 0.50 | 6.82% | 11.16% | 28.45% | 62.38 | |
| VA National Avg. | | 12.39 | 14.03 | 5.37 | 0.50 | 7.10% | 11.34% | 30.13% | 62.92 | |
| 1 | 2,047 | 2.94 X | 2.76 X | 1.15 X | 0.10 X | 0.95% | 2.29% | X 5.89% | X -1.76 | 0.99 |
| 2 | 772 | 1.64 | 0.16 | -1.12 | -0.02 | -1.44% | -1.08% | 0.06% | 5.80 | -0.65 |
| 3 | 1,308 | 4.82 X | 3.51 X | 0.41 | -0.05 | 0.81% | -2.02% | -1.08% | 6.32 | -0.36 |
| 4 | 1,656 | 2.44 X | 1.96 X | -0.28 | -0.07 | 0.55% | -1.59% | 0.36% | 3.23 | -0.37 |
| 5 | 1,419 | -0.76 | -1.20 | 1.59 X | 0.28 X | 2.27% | X 3.29% | X 7.00% | X -2.27 | 1.41 |
| 6 | 2,610 | 1.34 X | 0.84 | 0.63 | 0.11 X | 1.99% | X 2.19% | X 4.70% | X -2.09 | 0.88 |
| 7 | 1,990 | 0.00 | 0.00 | -1.04 | -0.01 | -1.16% | -1.70% | 0.47% | 3.14 | -0.54 |
| 8 | 2,426 | -5.86 | -5.60 | -2.17 | 0.00 | 0.59% | 0.02% | 0.38% | -3.93 | -0.43 |
| 9 | 2,086 | -0.73 | -1.69 | -0.60 | -0.02 | -1.17% | -1.43% | 0.10% | 4.58 | -0.63 |
| 10 | 1,702 | -5.18 | -5.38 | -2.26 | -0.08 | 0.70% | -1.04% | -2.28% | -1.72 | -0.91 |
| 11 | 1,749 | 1.56 X | 2.01 X | 0.92 X | -0.05 | 0.23% | -1.63% | -1.34% | 3.64 | -0.23 |
| 12 | 1,975 | -1.93 | -2.80 | -0.93 | 0.11 X | 1.27% | 0.65% | 4.60% | X 0.00 | 0.19 |
| 15 | 1,977 | 1.07 | 1.35 X | 0.35 | 0.01 | 0.11% | 0.07% | 2.92% | 1.74 | 0.12 |
| 16 | 3,139 | 0.00 | 0.98 | 0.00 | -0.02 | 0.00% | 0.44% | 0.52% | 1.56 | -0.12 |
| 17 | 1,733 | -1.67 | -1.57 | 0.03 | 0.02 | 0.54% | 0.07% | 0.00% | -0.02 | -0.10 |
| 18 | 1,307 | -4.77 | -4.24 | -1.55 | 0.02 | 1.34% | 1.84% | 3.26% | -2.19 | -0.09 |
| 19 | 859 | 3.18 X | 4.40 X | 2.91 X | 0.08 X | 1.06% | 2.11% | 3.10% | -4.03 | 1.33 |
| 20 | 1,661 | -2.83 | -3.47 | -1.83 | -0.06 | 0.19% | -1.51% | 0.16% | 3.73 | -0.94 |
| 21 | 1,341 | -1.62 | -0.59 | 0.38 | 0.07 | 0.84% | 1.21% | 2.39% | -1.22 | 0.36 |
| 22 | 1,652 | 2.61 X | 3.35 X | 1.05 X | -0.05 | 0.92% | 0.08% | -1.23% | -4.12 | 0.49 |
| 23 | 1,344 | -5.47 | -6.45 | -1.98 | 0.07 | 0.05% | 0.00% | 2.55% | -0.86 | -0.41 |

† Sample includes the first episode for all patients discharged during the first half of each fiscal year.

X = Significantly different (p<.05) from median VISN in the undesired direction, after adjustment for differences in patient characteristics, distance of residence from VA, diagnosis, etc.

Table 3-3. Changes in inpatient treatment measures: April 1, 2003 through March 31, 2004-April 1, 2004 through March 31, 2005, by VISN (unadjusted).†

INPATIENT GENERAL PSYCHIATRY

| VISN | April 1, 2003 through March 31, 2004 | | | | April 1, 2004 through March 31, 2005 | | | | Percent Change (4/1/03 through 3/31/04-4/1/04 through 3/31/05) | | | | Summary |
|----------|--------------------------------------|---------|----------|---------|--------------------------------------|---------|----------|---------|--|---------|----------|---------|----------------|
| | Number of | Average | Bed Days | Readm. | Number of | Average | Bed Days | Readm. | Pct. Change in | Average | Bed Days | Readm. | Psyc. Chg. |
| | Unique | Length | 6 months | within | Unique | Length | 6 months | within | Unique | Length | 6 months | within | Score (avg Z): |
| | Patients | Of Stay | After DC | 30 days | Patients | Of Stay | After DC | 30 days | Patients | Of Stay | After DC | 30 days | Weighted |
| 1 | 1,678 | 16.59 | 8.11 | 11.0% | 1,721 | 18.56 | 7.04 | 12.1% | 2.6% | 11.9% | -13.2% | 10.2% | 0.32 |
| 2 | 746 | 11.76 | 5.54 | 11.5% | 772 | 14.73 | 4.73 | 10.8% | 3.5% | 25.2% | -14.6% | -6.7% | 0.10 |
| 3 | 1,357 | 17.02 | 7.25 | 10.5% | 1,308 | 18.46 | 6.80 | 10.1% | -3.6% | 8.4% | -6.2% | -4.2% | 0.06 |
| 4 | 1,366 | 16.06 | 7.44 | 11.9% | 1,562 | 18.93 | 6.38 | 10.4% | 14.3% | 17.8% | -14.3% | -13.1% | -0.21 |
| 5 | 1,380 | 8.85 | 8.30 | 14.9% | 1,419 | 11.56 | 7.22 | 14.4% | 2.8% | 30.5% | -13.0% | -3.2% | 0.33 |
| 6 | 2,465 | 12.30 | 6.05 | 12.1% | 2,518 | 13.32 | 5.74 | 12.2% | 2.2% | 8.3% | -5.2% | 0.9% | 0.21 |
| 7 | 1,990 | 14.52 | 5.90 | 11.3% | 1,954 | 13.08 | 4.60 | 9.5% | -1.8% | -9.9% | -22.1% | -16.3% | -1.03 |
| 8 | 2,309 | 7.24 | 3.79 | 12.0% | 2,426 | 6.96 | 3.41 | 12.2% | 5.1% | -3.9% | -10.1% | 1.0% | -0.14 |
| 9 | 1,947 | 10.32 | 3.95 | 11.1% | 2,085 | 11.32 | 4.36 | 9.0% | 7.1% | 9.6% | 10.5% | -19.1% | 0.12 |
| 10 | 1,401 | 8.92 | 4.54 | 10.5% | 1,551 | 8.65 | 4.09 | 10.8% | 10.7% | -3.0% | -9.9% | 3.2% | -0.06 |
| 11 | 1,469 | 19.92 | 6.69 | 11.5% | 1,563 | 15.91 | 7.35 | 10.6% | 6.4% | -20.2% | 9.8% | -7.7% | -0.17 |
| 12 | 1,564 | 10.94 | 5.21 | 12.6% | 1,974 | 9.46 | 4.44 | 11.7% | 26.2% | -13.5% | -14.9% | -7.1% | -0.67 |
| 15 | 1,858 | 14.11 | 5.30 | 9.7% | 1,977 | 13.76 | 5.84 | 11.3% | 6.4% | -2.5% | 10.1% | 16.4% | 0.81 |
| 16 | 3,128 | 13.29 | 6.01 | 10.6% | 3,105 | 12.70 | 5.65 | 10.7% | -0.7% | -4.4% | -6.0% | 0.7% | -0.06 |
| 17 | 1,778 | 22.20 | 4.94 | 10.1% | 1,732 | 10.65 | 5.12 | 11.0% | -2.6% | -52.0% | 3.8% | 9.0% | -0.50 |
| 18 | 1,132 | 8.65 | 4.67 | 14.0% | 1,307 | 7.43 | 3.73 | 13.0% | 15.5% | -14.1% | -20.2% | -6.8% | -0.81 |
| 19 | 918 | 17.43 | 6.32 | 9.3% | 859 | 16.79 | 8.28 | 12.9% | -6.4% | -3.7% | 30.9% | 39.6% | 1.94 |
| 20 | 1,517 | 10.77 | 3.98 | 9.8% | 1,506 | 10.46 | 3.87 | 9.6% | -0.7% | -2.9% | -2.8% | -2.6% | -0.03 |
| 21 | 1,051 | 11.84 | 7.13 | 15.1% | 1,233 | 10.73 | 5.97 | 13.5% | 17.3% | -9.3% | -16.2% | -10.5% | -0.71 |
| 22 | 1,490 | 15.95 | 6.80 | 11.5% | 1,523 | 15.22 | 6.54 | 12.1% | 2.2% | -4.6% | -3.8% | 5.8% | 0.13 |
| 23 | 1,338 | 7.28 | 3.44 | 11.0% | 1,344 | 7.24 | 3.66 | 11.2% | 0.4% | -0.6% | 6.1% | 1.6% | 0.36 |
| Total VA | 33,882 | 13.11 | 5.71 | 11.4% | 35,439 | 12.45 | 5.37 | 11.3% | 4.6% | -5.0% | -6.0% | -1.2% | |
| Average | 1613 | 13.14 | 5.78 | 11.5% | 1,688 | 12.7 | 5.5 | 11.4% | 5.1% | -1.6% | -4.8% | -0.4% | |
| S.D. | 547 | 4.13 | 1.43 | 1.6% | 546 | 3.7 | 1.4 | 1.4% | 7.9% | 17.3% | 12.8% | 12.7% | |
| C.V. | 0.34 | 0.31 | 0.25 | 0.14 | 0.32 | 0.30 | 0.26 | 0.1 | 1.55 | 10.81 | 2.67 | 31.75 | |

† Sample includes the first episode for all patients discharged during the first half of each year.

Table 3-4. Changes in inpatient treatment measures by VISN (unadjusted).†

INPATIENT SUBSTANCE ABUSE

| VISN | Fiscal Year | | | | Fiscal Year | | | | Percent Change: | | | | Summary |
|---------|---|---------------------------------------|---|--------------------------------------|--|---------------------------------------|---|--------------------------------------|---|---------------------------------------|---|--------------------------------------|---|
| | <i>Number of Unique Patients</i> | <i>Average Length Of Stay</i> | <i>Bed Days 6 months After DC</i> | <i>Readm. within 30 days</i> | <i>Number of Unique Patients</i> | <i>Average Length Of Stay</i> | <i>Bed Days 6 months After DC</i> | <i>Readm. within 30 days</i> | <i>Pct. Change in Unique Patients</i> | <i>Average Length Of Stay</i> | <i>Bed Days 6 months After DC</i> | <i>Readm. within 30 days</i> | <i>SChg. Score (avg Z) Weighted</i> |
| 1 | <p>Specific data for these programs is no longer presented because there were fewer than 100 discharges per VISN from inpatient substance abuse programs.</p> | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | |
| Total | | | | | | | | | | | | | |
| Average | | | | | | | | | | | | | |
| S.D. | | | | | | | | | | | | | |
| C.V. | | | | | | | | | | | | | |

† Sample includes the first episode for all patients discharged during the first half of each fiscal year.

Table 3-4A. Changes in inpatient treatment measures: April 1, 2003 through March 31, 2004-April 1, 2004 through March 31, 2005, by VISN (unadjusted).†

INPATIENT GENERAL PSYCHIATRY AND SUBSTANCE ABUSE

| VISN | April 1, 2003 through March 31, 2004 | | | | April 1, 2004 through March 31, 2005 | | | | Percent Change | | | | Summary |
|---------|--------------------------------------|---------|----------|-------------|--------------------------------------|---------|----------|---------|----------------|---------|----------|---------|---|
| | Number of | Average | Bed Days | Pct. Readm. | Number of | Average | Bed Days | Readm. | Pct. Change in | Average | Bed Days | Readm. | Psys. and SA Chg. Score (avg Z): Weighted |
| | Unique | Length | 6 months | within | Unique | Length | 6 months | within | Unique | Length | 6 months | within | |
| | Patients | Of Stay | After DC | 30 days | Patients | Of Stay | After DC | 30 days | Patients | Of Stay | After DC | 30 days | |
| 1 | 2,107 | 14.38 | 7.33 | 12.5% | 2,047 | 16.96 | 6.78 | 13.9% | -2.8% | 17.9% | -7.5% | 11.1% | 0.49 |
| 2 | 746 | 11.76 | 5.56 | 11.7% | 772 | 14.73 | 4.74 | 10.8% | 3.5% | 25.2% | -14.8% | -7.8% | -0.05 |
| 3 | 1,357 | 17.02 | 7.26 | 10.5% | 1,308 | 18.46 | 6.80 | 10.1% | -3.6% | 8.4% | -6.2% | -4.2% | -0.04 |
| 4 | 1,454 | 15.28 | 7.14 | 12.0% | 1,656 | 18.05 | 6.18 | 10.4% | 13.9% | 18.1% | -13.5% | -13.2% | -0.29 |
| 5 | 1,539 | 8.30 | 7.86 | 15.8% | 1,419 | 11.56 | 7.26 | 14.6% | -7.8% | 39.2% | -7.6% | -7.6% | 0.40 |
| 6 | 2,549 | 12.55 | 6.08 | 12.2% | 2,610 | 13.51 | 5.88 | 12.5% | 2.4% | 7.7% | -3.3% | 2.4% | 0.19 |
| 7 | 2,121 | 13.96 | 5.63 | 10.9% | 1,990 | 12.96 | 4.53 | 9.3% | -6.2% | -7.1% | -19.6% | -14.6% | -0.96 |
| 8 | 2,309 | 7.24 | 3.80 | 12.0% | 2,426 | 6.96 | 3.42 | 12.2% | 5.1% | -3.9% | -10.2% | 1.0% | -0.24 |
| 9 | 2,085 | 9.90 | 3.76 | 10.9% | 2,086 | 11.32 | 4.36 | 9.0% | 0.0% | 14.3% | 16.0% | -17.2% | 0.32 |
| 10 | 1,549 | 8.49 | 4.38 | 10.5% | 1,702 | 8.25 | 3.92 | 10.8% | 9.9% | -2.8% | -10.5% | 3.4% | -0.17 |
| 11 | 1,693 | 18.24 | 6.05 | 10.8% | 1,749 | 15.02 | 6.88 | 10.2% | 3.3% | -17.6% | 13.6% | -4.8% | -0.02 |
| 12 | 1,719 | 10.27 | 4.98 | 12.9% | 1,975 | 9.46 | 4.44 | 11.7% | 14.9% | -7.9% | -10.8% | -9.0% | -0.59 |
| 15 | 1,858 | 14.11 | 5.31 | 9.7% | 1,977 | 13.76 | 5.87 | 11.3% | 6.4% | -2.5% | 10.5% | 16.4% | 0.73 |
| 16 | 3,193 | 13.18 | 5.95 | 10.6% | 3,139 | 12.67 | 5.67 | 10.7% | -1.7% | -3.8% | -4.7% | 0.5% | -0.11 |
| 17 | 1,779 | 22.20 | 4.95 | 10.1% | 1,733 | 10.65 | 5.13 | 11.1% | -2.6% | -52.0% | 3.5% | 10.1% | -0.53 |
| 18 | 1,240 | 8.35 | 4.60 | 13.9% | 1,307 | 7.43 | 3.73 | 13.0% | 5.4% | -11.0% | -18.8% | -6.2% | -0.79 |
| 19 | 918 | 17.43 | 6.33 | 9.3% | 859 | 16.79 | 8.31 | 12.9% | -6.4% | -3.7% | 31.2% | 39.6% | 1.86 |
| 20 | 1,685 | 10.34 | 3.88 | 10.0% | 1,661 | 10.11 | 3.67 | 8.9% | -1.4% | -2.2% | -5.4% | -11.2% | -0.40 |
| 21 | 1,342 | 11.72 | 6.93 | 14.5% | 1,341 | 11.83 | 6.40 | 13.2% | -0.1% | 0.9% | -7.7% | -8.7% | -0.34 |
| 22 | 1,626 | 16.67 | 6.83 | 10.9% | 1,652 | 15.89 | 6.95 | 11.9% | 1.6% | -4.7% | 1.7% | 9.0% | 0.27 |
| 23 | 1,338 | 7.28 | 3.46 | 11.0% | 1,344 | 7.24 | 3.66 | 11.2% | 0.4% | -0.6% | 5.8% | 1.6% | 0.26 |
| Total | 36,207 | 12.76 | 5.59 | 11.5% | 36,753 | 12.45 | 5.48 | 11.5% | 1.50% | -2.40% | -2.00% | -0.10% | |
| Average | 1,724 | 12.79 | 5.62 | 11.5% | 1,750 | 12.55 | 5.45 | 11.4% | 1.60% | 0.60% | -2.80% | -0.50% | |
| S.D. | 550 | 4.04 | 1.33 | 1.6% | 552 | 3.56 | 1.43 | 1.6% | 6.20% | 18.00% | 12.60% | 12.90% | |
| C.V. | 0.32 | 0.32 | 0.24 | 0.14 | 0.32 | 0.28 | 0.26 | 0.14 | 3.88 | 30.00 | -4.50 | -25.80 | |

† Sample includes the first episode for all patients discharged during the first half of each year.

Table 3-5. Mental health beds (psychiatric and substance abuse) occupied at the end of the fiscal year, by VISN
(From FY 2004 VA Census) (1).

| VISN | All Acute Care Beds (Mental Hlth and Others) | Mental Health Beds | Veteran Population 2000 | Mental Hlth. Beds per 10,000 Veterans | Psychiatry Bed Section | % Psychiatry Bed Section | Substance Abuse Bed Section | % Subs. Abuse Bed Section | PRRTP Bed Section | % PRRTP Bed Section |
|-------------|---|--------------------------|-------------------------------|--|------------------------------|-----------------------------------|--------------------------------------|------------------------------------|-------------------------|------------------------------|
| | | | | | | | | | | |
| 1 | 833 | 415 | 1,327,933 | 3.13 | 299 | 72.0% | 18 | 4.3% | 98 | 23.6% |
| 2 | 338 | 129 | 617,040 | 2.09 | 50 | 38.8% | 0 | 0.0% | 79 | 61.2% |
| 3 | 809 | 284 | 1,230,989 | 2.31 | 190 | 66.9% | 0 | 0.0% | 94 | 33.1% |
| 4 | 625 | 296 | 1,635,354 | 1.81 | 206 | 69.6% | 3 | 1.0% | 87 | 29.4% |
| 5 | 456 | 205 | 827,066 | 2.48 | 105 | 51.2% | 0 | 0.0% | 100 | 48.8% |
| 6 | 925 | 339 | 1,383,878 | 2.45 | 244 | 72.0% | 17 | 5.0% | 78 | 23.0% |
| 7 | 754 | 198 | 1,501,145 | 1.32 | 159 | 80.3% | 0 | 0.0% | 39 | 19.7% |
| 8 | 1,198 | 202 | 1,935,726 | 1.04 | 105 | 52.0% | 0 | 0.0% | 97 | 48.0% |
| 9 | 794 | 172 | 1,099,248 | 1.56 | 163 | 94.8% | 0 | 0.0% | 9 | 5.2% |
| 10 | 469 | 164 | 1,066,077 | 1.54 | 70 | 42.7% | 7 | 4.3% | 87 | 53.0% |
| 11 | 642 | 313 | 1,533,351 | 2.04 | 203 | 64.9% | 9 | 2.9% | 101 | 32.3% |
| 12 | 732 | 256 | 1,221,864 | 2.10 | 119 | 46.5% | 0 | 0.0% | 137 | 53.5% |
| 15 | 586 | 210 | 1,030,765 | 2.04 | 162 | 77.1% | 0 | 0.0% | 48 | 22.9% |
| 16 | 1,289 | 325 | 1,946,911 | 1.67 | 266 | 81.8% | 0 | 0.0% | 59 | 18.2% |
| 17 | 771 | 268 | 1,092,479 | 2.45 | 123 | 45.9% | 0 | 0.0% | 145 | 54.1% |
| 18 | 490 | 93 | 948,529 | 0.98 | 70 | 75.3% | 0 | 0.0% | 23 | 24.7% |
| 19 | 367 | 139 | 799,369 | 1.74 | 101 | 72.7% | 0 | 0.0% | 38 | 27.3% |
| 20 | 563 | 206 | 1,248,708 | 1.65 | 107 | 51.9% | 6 | 2.9% | 93 | 45.1% |
| 21 | 462 | 135 | 1,280,265 | 1.05 | 82 | 60.7% | 15 | 11.1% | 38 | 28.1% |
| 22 | 673 | 185 | 1,638,730 | 1.13 | 159 | 85.9% | 26 | 14.1% | 0 | 0.0% |
| 23 | 484 | 134 | 1,184,277 | 1.13 | 69 | 51.5% | 0 | 0.0% | 65 | 48.5% |
| TOTAL | 14,260 | 4,668 | 26,549,704 | 1.76 | 3,052 | 65.4% | 101 | 2.2% | 1,515 | 32.5% |
| Average | 679 | 222 | 1,264,272 | 1.80 | 145 | 64.5% | 5 | 2.2% | 72 | 33.3% |
| S.D. | 248 | 83 | 348,416 | 0.58 | 69 | 15.6% | 8 | 3.9% | 39 | 16.8% |
| Coeff. Var. | 0.36 | 0.37 | 0.28 | 0.32 | 0.48 | 0.24 | 1.61 | 1.79 | 0.53 | 0.50 |

| VISN | Number of Psyc Beds Occupied > 6 months | % of Psyc Beds Occupied > 6 months | Psych Beds Occ. > 6 mos. per 10,000 Veterans | Number of Psyc Beds Occupied > 1 year | % of Psyc Beds Occupied > 1 year | Number of Psyc Beds Occupied > 3 years | % of Psyc Beds Occupied > 3 years | Non-MH beds occupied by pts. with Psych. Dx. | Non-MH beds Occupied > 1 year | Non-MH beds Occupied > 1 year | Summary MH Beds Score (avg Z) Weighted |
|-------------|--|---|---|--|---|---|--|---|--|--|---|
| | | | | | | | | | | | |
| 1 | 98 | 32.8% | 0.74 | 66 | 22.1% | 26 | 8.7% | 17 | 0 | 0.0% | 2.03 |
| 2 | 0 | 0.0% | 0.00 | 0 | 0.0% | 0 | 0.0% | 6 | 1 | 16.7% | -0.13 |
| 3 | 47 | 24.7% | 0.38 | 32 | 16.8% | 15 | 7.9% | 13 | 2 | 15.4% | 1.07 |
| 4 | 41 | 19.9% | 0.25 | 30 | 14.6% | 16 | 7.8% | 7 | 1 | 14.3% | 0.52 |
| 5 | 13 | 12.4% | 0.16 | 5 | 4.8% | 1 | 1.0% | 9 | 0 | 0.0% | 0.53 |
| 6 | 47 | 19.3% | 0.34 | 40 | 16.4% | 22 | 9.0% | 19 | 2 | 10.5% | 1.14 |
| 7 | 26 | 16.4% | 0.17 | 18 | 11.3% | 7 | 4.4% | 9 | 0 | 0.0% | -0.15 |
| 8 | 0 | 0.0% | 0.00 | 0 | 0.0% | 0 | 0.0% | 21 | 0 | 0.0% | -1.03 |
| 9 | 27 | 16.6% | 0.25 | 22 | 13.5% | 16 | 9.8% | 23 | 2 | 8.7% | 0.31 |
| 10 | 0 | 0.0% | 0.00 | 0 | 0.0% | 0 | 0.0% | 13 | 0 | 0.0% | -0.60 |
| 11 | 61 | 30.0% | 0.40 | 52 | 25.6% | 28 | 13.8% | 18 | 0 | 0.0% | 1.32 |
| 12 | 9 | 7.6% | 0.07 | 7 | 5.9% | 3 | 2.5% | 10 | 0 | 0.0% | 0.20 |
| 15 | 4 | 2.5% | 0.04 | 2 | 1.2% | 0 | 0.0% | 9 | 1 | 11.1% | -0.11 |
| 16 | 5 | 1.9% | 0.03 | 1 | 0.4% | 0 | 0.0% | 31 | 1 | 3.2% | -0.46 |
| 17 | 1 | 0.8% | 0.01 | 0 | 0.0% | 0 | 0.0% | 16 | 0 | 0.0% | 0.20 |
| 18 | 0 | 0.0% | 0.00 | 0 | 0.0% | 0 | 0.0% | 9 | 0 | 0.0% | -1.09 |
| 19 | 3 | 3.0% | 0.04 | 2 | 2.0% | 0 | 0.0% | 9 | 0 | 0.0% | -0.35 |
| 20 | 0 | 0.0% | 0.00 | 0 | 0.0% | 0 | 0.0% | 5 | 0 | 0.0% | -0.51 |
| 21 | 0 | 0.0% | 0.00 | 0 | 0.0% | 0 | 0.0% | 2 | 0 | 0.0% | -1.02 |
| 22 | 3 | 1.9% | 0.02 | 1 | 0.6% | 0 | 0.0% | 5 | 0 | 0.0% | -0.92 |
| 23 | 0 | 0.0% | 0.00 | 0 | 0.0% | 0 | 0.0% | 7 | 0 | 0.0% | -0.96 |
| TOTAL | 385 | 12.6% | 0.15 | 278 | 9.1% | 134 | 4.4% | 258 | 10 | 3.9% | |
| Average | 18 | 9.0% | 0.14 | 13 | 6.4% | 6 | 3.1% | 12 | 0 | 3.8% | |
| S.D. | 27 | 11.0% | 0.19 | 20 | 8.4% | 10 | 4.4% | 7 | 1 | 6.1% | |
| Coeff. Var. | 1.45 | 1.22 | 1.41 | 1.49 | 1.31 | 1.52 | 1.43 | 0.58 | 1.57 | 1.59 | |

(1) Bordered values are 1.0 standard deviation above the mean for all VISNs

DATA NOT AVAILABLE FOR TABLE 3-6

DRAFT

Table 3-7. Characteristics of veterans discharged from mental health bed sections (4/1/04-9/30/05)(values of risk adjusters used in previous comparisons).

INPATIENT GENERAL PSYCHIATRY

| VISN | Number of Unique Veterans | Age | Male | Black* | Hispanic* | Married | Divorced/ Separated | Annual Income | SC< 50% | SC>50% |
|---------|---------------------------|-------|-------|--------|-----------|---------|------------------------|------------------|---------|--------|
| 1 | 1721 | 52.39 | 93.4% | 4.1% | 0.4% | 22.8% | 44.0% | \$18,347 | 11.6% | 33.7% |
| 2 | 772 | 51.22 | 93.5% | 17.5% | 0.1% | 23.8% | 43.9% | \$15,040 | 12.8% | 28.4% |
| 3 | 1308 | 51.11 | 94.8% | 21.9% | 3.7% | 17.2% | 37.5% | \$13,154 | 12.0% | 30.9% |
| 4 | 1562 | 51.14 | 94.2% | 17.1% | 0.1% | 22.0% | 45.7% | \$15,250 | 12.8% | 31.0% |
| 5 | 1419 | 50.15 | 91.8% | 29.9% | 0.0% | 19.7% | 45.9% | \$12,953 | 12.5% | 23.5% |
| 6 | 2518 | 51.44 | 91.9% | 24.7% | 0.2% | 31.0% | 44.1% | \$16,667 | 14.4% | 32.9% |
| 7 | 1954 | 50.81 | 91.9% | 26.7% | 0.1% | 30.1% | 46.9% | \$14,347 | 15.9% | 31.2% |
| 8 | 2426 | 51.29 | 92.3% | 10.6% | 4.6% | 28.1% | 49.2% | \$14,794 | 13.7% | 29.1% |
| 9 | 2085 | 50.51 | 93.0% | 15.5% | 0.0% | 30.5% | 46.1% | \$12,774 | 14.0% | 22.8% |
| 10 | 1551 | 50.27 | 91.8% | 22.4% | 0.1% | 21.2% | 48.2% | \$13,036 | 13.3% | 23.0% |
| 11 | 1563 | 51.37 | 93.8% | 17.0% | 0.0% | 19.8% | 47.6% | \$13,675 | 13.3% | 23.8% |
| 12 | 1974 | 47.59 | 91.3% | 25.3% | 1.2% | 19.1% | 42.4% | \$13,006 | 10.5% | 19.7% |
| 15 | 1977 | 50.87 | 93.4% | 18.9% | 0.3% | 26.1% | 48.3% | \$14,293 | 13.3% | 23.7% |
| 16 | 3105 | 50.09 | 91.5% | 24.6% | 0.8% | 29.9% | 43.5% | \$14,514 | 12.6% | 28.9% |
| 17 | 1732 | 50.72 | 91.9% | 15.6% | 13.9% | 29.0% | 46.9% | \$13,632 | 12.5% | 28.3% |
| 18 | 1307 | 50.69 | 90.8% | 3.5% | 7.0% | 27.7% | 43.6% | \$13,336 | 10.9% | 27.3% |
| 19 | 859 | 51.07 | 92.2% | 3.4% | 1.5% | 29.5% | 46.1% | \$15,965 | 13.4% | 32.5% |
| 20 | 1506 | 51.78 | 91.7% | 5.0% | 0.5% | 32.5% | 44.8% | \$17,058 | 12.9% | 36.5% |
| 21 | 1233 | 52.89 | 91.7% | 6.6% | 3.7% | 18.7% | 48.3% | \$13,784 | 10.6% | 30.4% |
| 22 | 1523 | 51.06 | 91.3% | 12.4% | 3.1% | 19.9% | 42.5% | \$13,679 | 11.0% | 28.3% |
| 23 | 1344 | 51.89 | 92.8% | 4.8% | 0.2% | 25.7% | 45.4% | \$16,072 | 12.1% | 27.2% |
| Total | 35,439 | 50.88 | 92.4% | 16.7% | 1.9% | 25.6% | 45.4% | \$14,548 | 12.8% | 28.1% |
| Average | 1,688 | 51.0 | 92.4% | 15.6% | 2.0% | 25.6% | 45.3% | \$14,542 | 12.7% | 28.2% |
| S.D. | 546 | 1.0 | 1.1% | 8.6% | 3.3% | 4.9% | 2.7% | \$1,536 | 1.3% | 4.2% |
| C.V. | 0.32 | 0.02 | 0.01 | 0.55 | 1.70 | 0.19 | 0.06 | 0.11 | 0.10 | 0.15 |

| VISN | Discharged to Community | Diagnosis: Schizo-phrenia | Diagnosis: Other Psychosis | Diagnosis: PTSD | Diagnosis: Drug Dep/ Abuse | Diagnosis: Alc Dep/ Abuse | Diagnosis: Dual Diagnosis | Number of Medical Diagnoses | Residence: Distance from VA |
|---------|-------------------------|---------------------------|----------------------------|-----------------|----------------------------|---------------------------|---------------------------|-----------------------------|-----------------------------|
| 1 | 91.0% | 17.1% | 19.7% | 16.2% | 5.4% | 21.3% | 47.9% | 1.83 | 7.7 |
| 2 | 90.7% | 20.1% | 20.5% | 6.9% | 8.4% | 19.4% | 47.0% | 1.79 | 7.9 |
| 3 | 74.6% | 23.7% | 19.3% | 5.7% | 15.1% | 12.6% | 49.3% | 1.32 | 4.3 |
| 4 | 87.3% | 27.2% | 20.0% | 8.1% | 6.2% | 7.4% | 48.3% | 1.75 | 8.1 |
| 5 | 72.1% | 17.1% | 26.8% | 3.3% | 6.6% | 20.2% | 53.3% | 1.28 | 7.3 |
| 6 | 86.6% | 17.1% | 20.8% | 14.0% | 6.6% | 11.6% | 40.2% | 1.42 | 17.6 |
| 7 | 96.1% | 20.4% | 23.2% | 11.4% | 4.1% | 8.7% | 50.3% | 1.86 | 17.0 |
| 8 | 98.0% | 16.1% | 27.0% | 5.6% | 4.7% | 11.0% | 50.2% | 1.66 | 11.4 |
| 9 | 86.8% | 11.9% | 23.7% | 5.6% | 6.3% | 16.1% | 41.3% | 1.57 | 17.9 |
| 10 | 82.2% | 26.3% | 21.1% | 3.8% | 7.4% | 9.7% | 47.9% | 1.82 | 9.5 |
| 11 | 92.8% | 24.8% | 25.5% | 3.7% | 7.0% | 13.2% | 43.1% | 1.79 | 11.3 |
| 12 | 71.7% | 13.1% | 25.2% | 5.7% | 11.8% | 15.9% | 49.9% | 1.43 | 7.7 |
| 15 | 86.6% | 17.7% | 24.9% | 8.1% | 10.6% | 19.1% | 44.3% | 1.58 | 13.9 |
| 16 | 92.6% | 21.7% | 27.1% | 5.5% | 8.5% | 14.2% | 40.1% | 1.53 | 19.8 |
| 17 | 95.1% | 15.1% | 26.2% | 7.0% | 9.1% | 14.9% | 46.3% | 1.48 | 8.9 |
| 18 | 95.2% | 13.4% | 24.1% | 8.6% | 5.1% | 7.7% | 54.4% | 1.39 | 9.6 |
| 19 | 90.6% | 17.1% | 30.4% | 14.2% | 3.4% | 7.0% | 45.8% | 1.64 | 12.7 |
| 20 | 84.8% | 15.5% | 30.5% | 18.2% | 2.3% | 5.2% | 46.1% | 1.81 | 18.4 |
| 21 | 96.1% | 20.4% | 26.0% | 6.1% | 5.3% | 12.1% | 52.8% | 1.82 | 9.7 |
| 22 | 92.3% | 20.4% | 32.5% | 4.7% | 3.6% | 4.9% | 45.6% | 1.53 | 7.1 |
| 23 | 78.7% | 16.4% | 25.6% | 4.8% | 3.7% | 13.7% | 47.5% | 1.46 | 15.5 |
| Total | 88.0% | 18.6% | 24.8% | 7.9% | 6.8% | 12.8% | 46.6% | 1.60 | 12.34 |
| Average | 87.7% | 18.7% | 24.8% | 8.0% | 6.7% | 12.7% | 47.2% | 1.6 | 11.6 |
| S.D. | 7.9% | 4.3% | 3.7% | 4.3% | 3.1% | 4.9% | 4.0% | 0.2 | 4.5 |
| C.V. | 0.09 | 0.23 | 0.15 | 0.54 | 0.46 | 0.39 | 0.08 | 0.12 | 0.39 |

*Due to missing data the values for race and ethnicity may not fully reflect actual clients discharged from mental health beds.

Table 3-8. Characteristics of veterans discharged from mental health bed sections (values of risk adjusters used in previous comparisons).

[illegible][illegible]

Table 3-9. Summary of Inpatient Monitors, by VISN, April 1, 2004 through March 31, 2005.*

| <i>VISN</i> | <i>Summary IP Gen. Psyc. and SA Score (avg Z): Weighted</i> | <i>Summary Psyc. and SA Chg. Score (avg Z): Weighted</i> | <i>Summary MH Beds Score (avg Z) Weighted</i> | <i>Summary Inpatient Score (avg Z) Weighted</i> | <i>Rank Compared to Other VISNS</i> |
|------------------|---|--|---|---|---|
| 1 | 0.99 | 0.49 | 2.03 | 2.03 | 21 |
| 2 | -0.65 | -0.05 | -0.13 | -0.13 | 11 |
| 3 | -0.36 | -0.04 | 1.07 | 1.07 | 18 |
| 4 | -0.37 | -0.29 | 0.52 | 0.52 | 16 |
| 5 | 1.41 | 0.40 | 0.53 | 0.53 | 17 |
| 6 | 0.88 | 0.19 | 1.14 | 1.14 | 19 |
| 7 | -0.54 | -0.96 | -0.15 | -0.15 | 10 |
| 8 | -0.43 | -0.24 | -1.03 | -1.03 | 2 |
| 9 | -0.63 | 0.32 | 0.31 | 0.31 | 15 |
| 10 | -0.91 | -0.17 | -0.60 | -0.60 | 6 |
| 11 | -0.23 | -0.02 | 1.32 | 1.32 | 20 |
| 12 | 0.19 | -0.59 | 0.20 | 0.20 | 14 |
| 15 | 0.12 | 0.73 | -0.11 | -0.11 | 12 |
| 16 | -0.12 | -0.11 | -0.46 | -0.46 | 8 |
| 17 | -0.10 | -0.53 | 0.20 | 0.20 | 13 |
| 18 | -0.09 | -0.79 | -1.09 | -1.09 | 1 |
| 19 | 1.33 | 1.86 | -0.35 | -0.35 | 9 |
| 20 | -0.94 | -0.40 | -0.51 | -0.51 | 7 |
| 21 | 0.36 | -0.34 | -1.02 | -1.02 | 3 |
| 22 | 0.49 | 0.27 | -0.92 | -0.92 | 5 |
| 23 | -0.41 | 0.26 | -0.96 | -0.96 | 4 |
| Table Page... | 3-2A | 3-4A | 3-5 | | |

*=Average Z score across monitors. Low ranking numbers reflect desirable performance (i.e. low inpatient use, readmission etc.).

THIS PAGE INTENTIONALLY LEFT BLANK

DRAFT

Table 4-1. Deviation of outpatient service utilization from that of the median VISN, during the first six months following discharge from VA inpatient units, April 1, 2004 through March 31, 2005 (adjusted for patient characteristics, distance of residence from VA, diagnosis, etc.).†

OUTPATIENT GENERAL PSYCHIATRY

| <i>VISN</i> | <i>N</i> | <i>Any Psych. Outpatient Stop in 6 mos. After DC</i> | <i>Any Psych. Outpatient Stop in 30 days After DC</i> | <i>Days to 1st OP Stop in 6 mos. After DC</i> | <i>Number of Stops in 6 mos. Among those w any Stops</i> | <i>Continuity: Bi-months with 2 Stops</i> | <i>Summary OP Gen. Psyc. Score (avg Z): Weighted</i> |
|------------------|----------|--|---|---|--|---|--|
| VISN Median | | 81.8% | 59.7% | 28.03 | 12.56 | 2.17 | |
| VA National Avg. | | 80.5% | 57.7% | 28.99 | 14.45 | 2.20 | |
| 1 | 1,706 | 0.46% | 0.03 | -2.47 | 0.63 | 0.01 | 0.15 |
| 2 | 758 | 3.62% | 0.10 | -6.19 | 6.16 | 0.10 | 1.20 |
| 3 | 1,295 | -1.06% | 0.00 | 1.42 | 6.89 | 0.06 | 0.20 |
| 4 | 1,552 | -0.96% | -0.02 | 2.76 | -0.79 | 0.00 | -0.46 |
| 5 | 1,415 | -1.73% | -0.02 | 2.05 | 2.68 | 0.09 | -0.01 |
| 6 | 2,510 | -0.31% | -0.08 X | 8.20 X | -2.64 X | -0.06 X | -1.20 |
| 7 | 1,950 | -2.43% | 0.00 | 0.03 | 1.78 | 0.00 | -0.17 |
| 8 | 2,423 | -3.46% X | -0.03 | 3.42 X | -1.30 | -0.05 | -0.80 |
| 9 | 2,053 | -5.23% X | -0.05 X | 4.74 X | -4.92 X | -0.17 X | -1.53 |
| 10 | 1,542 | 3.03% | 0.07 | -5.05 | 8.43 | 0.00 | 0.83 |
| 11 | 1,555 | 0.57% | 0.01 | 0.00 | 2.91 | -0.01 | 0.00 |
| 12 | 1,823 | 0.20% | 0.03 | -2.04 | 14.04 | 0.07 | 0.89 |
| 15 | 1,971 | 3.86% | 0.06 | -2.12 | 0.00 | 0.02 | 0.35 |
| 16 | 3,032 | -1.76% | -0.02 | 1.62 | -1.40 | 0.00 | -0.45 |
| 17 | 1,715 | -4.18% X | -0.04 X | 2.25 | -3.66 X | -0.05 | -0.88 |
| 18 | 1,299 | 0.62% | 0.02 | -0.08 | -0.50 | 0.07 | 0.11 |
| 19 | 853 | 4.40% | 0.06 | -3.64 | 3.93 | 0.20 | 1.16 |
| 20 | 1,502 | 2.43% | 0.05 | -2.46 | -0.33 | 0.09 | 0.46 |
| 21 | 1,222 | -5.90% X | -0.09 X | 5.85 X | -2.98 X | -0.11 X | -1.45 |
| 22 | 1,497 | 0.00% | 0.00 | 0.23 | -0.30 | -0.01 | -0.22 |
| 23 | 1,330 | 6.34% | 0.10 | -6.13 | 16.80 | 0.11 | 1.82 |

† Sample includes the first episode for all patients discharged during the first half of each year.

X = Significantly different ($p < .05$) from median VISN in the undesired direction, after adjustment for differences in patient characteristics, distance of residence from VA, diagnosis, etc.

Table 4-2. Deviation of outpatient service utilization from that of the median VISN, during the first six months following discharge from VA inpatient units, (adjusted for patient characteristics, distance of residence from VA, diagnosis, etc.).†

OUTPATIENT SUBSTANCE ABUSE

| <i>VISN</i> | <i>N</i> | <i>Any SA Outpatient Stop in 6 mos. After DC</i> | <i>Any SA Outpatient Stop in 30 days After DC</i> | <i>Days to 1st OP Stop in 6 mos. After DC</i> | <i>Number of Stops in 6 mos. Among those w any Stops</i> | <i>Continuity: Bi-months with 2 Stops</i> | <i>Summary OP SA. Score (avg Z) Weighted</i> |
|------------------|----------|--|---|---|--|---|--|
| VISN Median | | | | | | | |
| VA National Avg. | | | | | | | |

1
4
5
6
7
9
10
11
12
16
17
18
20
21
22
23

Specific data on the transition from inpatient to outpatient substance abuse programs is no longer presented because there was less than 100 discharges per VISN from inpatient substance abuse programs.

† Sample includes the first episode for all patients discharged during the first half of each fiscal year.
X = Significantly different ($p < .05$) from median VISN in the undesired direction, after adjustment for differences in patient characteristics, distance of residence from VA, diagnosis, etc .

Table 4-2B. Deviation of outpatient service utilization from that of the median VISN, during the first six months following discharge from VA inpatient units, April 1, 2004 through March 31, 2005 (adjusted for patient characteristics, distance of residence from VA, diagnosis, etc.).†

| <i>OUTPATIENT GENERAL PSYCHIATRY AND SUBSTANCE ABUSE</i> | | | | | | | |
|--|----------|---|--|---|---|---|--|
| <i>VISN</i> | <i>N</i> | <i>Any Outpatient Stop in 6 mos. After DC</i> | <i>Any Outpatient Stop in 30 days After DC</i> | <i>Days to 1st OP Stop in 6 mos. After DC</i> | <i>Number of Stops in 6 mos. Among those w/ any Stops</i> | <i>Continuity: Bi-months with 2 stops</i> | <i>Summary OP Gen. Psych. and SA Score (avg Z): Weighted</i> |
| VISN Median | | 82.1% | 64.3% | 24.36 | 23.01 | 2.17 | |
| VA National Avg. | | 83.6% | 64.0% | 24.80 | 23.30 | 2.19 | |
| 1 | 2,047 | -0.73% | 1.48% | -1.67 | 0.00 | -0.05 | -0.12 |
| 2 | 772 | 1.24% | 8.02% | -5.39 | 5.98 | 0.09 | 1.02 |
| 3 | 1,308 | 0.00% | 0.71% | 0.52 | 9.74 | 0.06 | 0.39 |
| 4 | 1,656 | 0.70% | 0.09% | 1.91 | -1.89 | -0.01 | -0.32 |
| 5 | 1,419 | 0.11% | 2.35% | -1.50 | 8.30 | 0.09 | 0.61 |
| 6 | 2,610 | -1.61% | -9.48% X | 8.16 X | -5.23 X | -0.06 X | -1.36 |
| 7 | 1,990 | -3.34% X | -1.28% | 0.44 | 3.96 | 0.00 | -0.16 |
| 8 | 2,426 | -1.36% | -1.63% | 2.10 | -3.76 X | -0.05 | -0.64 |
| 9 | 2,086 | -6.92% X | -9.04% X | 6.30 X | -7.36 X | -0.17 X | -1.84 |
| 10 | 1,702 | 2.83% | 7.25% | -4.71 | 14.65 | -0.01 | 1.02 |
| 11 | 1,749 | 0.52% | 0.00% | 1.05 | 0.41 | 0.00 | -0.16 |
| 12 | 1,975 | -3.43% X | -1.64% | -0.59 | 12.59 | 0.07 | 0.40 |
| 15 | 1,977 | 1.82% | 2.15% | -0.23 | 6.63 | 0.02 | 0.34 |
| 16 | 3,139 | -2.58% X | -2.65% | 1.01 | -1.83 | 0.00 | -0.42 |
| 17 | 1,733 | -3.23% X | -3.09% | 2.08 | -5.33 X | -0.05 | -0.81 |
| 18 | 1,307 | 0.36% | 1.12% | 0.00 | -1.96 | 0.07 | 0.08 |
| 19 | 859 | 3.15% | 5.63% | -3.45 | 1.69 | 0.20 | 1.05 |
| 20 | 1,661 | 3.13% | 7.33% | -3.89 | -1.29 | 0.10 | 0.74 |
| 21 | 1,341 | -4.80% X | -6.12% X | 4.26 X | -2.79 | -0.12 X | -1.23 |
| 22 | 1,652 | -1.55% | -0.37% | -0.28 | -1.61 | -0.01 | -0.23 |
| 23 | 1,344 | 5.57% | 8.63% | -4.50 | 18.26 | 0.11 | 1.64 |

† Sample includes the first episode for all patients discharged during the first half of each year.

X = Significantly different ($p < .05$) from median VISN in the undesired direction, after adjustment for differences in patient characteristics, distance of residence from VA, diagnosis, etc.

TABLE 4-2C

DATA NOT AVAILABLE FOR FY 2005 INTERIM REPORT

DRAFT

Table 4-3. Deviation of outpatient service utilization from that of the median VISN, during the first six months following discharge from VA general psychiatry and substance abuse inpatient units, April 1, 2004 through March 31, 2005 (adjusted for patient characteristics, distance of residence from VA, diagnosis, etc.).†

| MEDICAL OUTPATIENT STOPS | | | | | | | | | |
|--------------------------|---|---|---|--|--|--|---|--|--|
| VISN | Any Medical Outpatient Stop in 6 mos. After DC | Days to 1st OP Stop in 6 mos. After DC | Number of Stops in 6 mos. Among those w anyStops | Summary OP Medical Score (avg Z) Weighted | At Least 1 Psyc. and 1 SA OP Stops in 6 mos. After DC | At Least 3 Psyc. and 3 SA OP Stops in 6 mos. After DC | Continuity: Bi-months with 2 Stops | Number of Psy.& SA Vs . Among those w any Stops | Summary OP Dual Dx Score (avg Z) Weighted |
| VISN Median | 87.6% | 34.67 | 8.46 | | 32.3% | 23.5% | 2.24 | 24.71 | |
| VA National Avg. | 85.3% | 36.08 | 8.66 | | 21.3% | 17.0% | 2.17 | 23.30 | |
| 1 | -0.04 X | 1.63 | -1.96 X | -1.18 | 0.06 | 0.06 | 0.00 | 2.66 | 0.32 |
| 2 | 0.00 | -3.10 | 1.43 | 0.62 | 0.02 | 0.06 | 0.14 | 6.12 | 0.89 |
| 3 | 0.01 | -4.22 | 1.70 | 0.94 | -0.03 | 0.00 | -0.02 | 9.68 | 0.04 |
| 4 | -0.03 X | 5.30 X | -1.51 X | -1.37 | -0.01 | 0.00 | -0.05 | -1.32 | -0.44 |
| 5 | 0.04 | -5.29 | 5.95 | 2.15 | 0.03 | 0.00 | 0.10 | 8.93 | 0.66 |
| 6 | 0.02 | 0.28 | -1.21 X | 0.08 | -0.08 X | -0.07 X | -0.10 X | -6.13 X | -1.30 |
| 7 | -0.01 | -0.94 | 0.00 | -0.09 | -0.01 | 0.02 | -0.02 | 5.19 | -0.02 |
| 8 | 0.00 | -3.18 | 0.42 | 0.42 | -0.08 X | -0.06 X | -0.06 | -5.92 X | -1.10 |
| 9 | -0.02 X | 3.24 | -1.24 X | -1.03 | -0.12 X | -0.10 X | -0.20 X | -8.70 X | -1.98 |
| 10 | -0.01 | -0.22 | -0.95 X | -0.40 | 0.08 | 0.08 | -0.01 | 16.56 | 0.99 |
| 11 | 0.02 | -3.23 | 1.74 | 0.93 | -0.02 | 0.00 | -0.01 | -0.55 | -0.30 |
| 12 | 0.02 | -4.19 | 3.27 | 1.32 | -0.05 X | -0.02 | 0.07 | 16.24 | 0.50 |
| 15 | 0.02 | -0.55 | 0.46 | 0.37 | 0.06 | 0.06 | 0.03 | 10.62 | 0.77 |
| 16 | 0.01 | 0.41 | -1.21 X | -0.13 | 0.00 | 0.02 | 0.02 | 0.11 | -0.04 |
| 17 | -0.02 | 1.66 | 0.84 | -0.37 | -0.03 | -0.03 | -0.02 | -6.82 X | -0.73 |
| 18 | -0.01 | -1.27 | -0.41 | -0.08 | -0.01 | 0.02 | 0.06 | -2.49 | -0.01 |
| 19 | 0.02 | 0.00 | 0.12 | 0.28 | 0.07 | 0.08 | 0.14 | 0.00 | 0.86 |
| 20 | 0.00 | 1.58 | -1.95 X | -0.58 | 0.02 | 0.00 | 0.08 | -2.66 | 0.12 |
| 21 | -0.05 X | 3.12 | -2.11 X | -1.52 | 0.01 | 0.00 | -0.13 X | -3.50 | -0.78 |
| 22 | -0.01 | -0.03 | -0.93 X | -0.31 | 0.06 | 0.07 | 0.04 | 1.53 | 0.45 |
| 23 | -0.01 | -0.31 | 1.07 | -0.04 | 0.00 | 0.02 | 0.09 | 21.62 | 1.09 |

† Sample includes the first episode for all patients discharged during the first half of each year.

X = Significantly different ($p < .05$) from median VISN in the undesired direction, after adjustment for differences in patient characteristics, distance of residence from VA, diagnosis, etc.

Table 4-4. Changes in monitors of outpatient service utilization and outcome performance: April 1, 2003 through March 31, 2004-April 1, 2004 through March 31, 2005 (unadjusted).†

GENERAL PSYCHIATRY OUTPATIENT TREATMENT

| VISN | April 1, 2003 through March 31, 2004 | | | | April 1, 2004 through March 31, 2005 | | | | Percent Change | | | Summary Gen Psy. Chg. Score (avg Z) Weighted |
|----------|--|---|--|----------|--|---|--|----------|--|---|--|---|
| | <i>Any Psych. Outpatient Stop in 30 days</i> | <i>Any Psych. Outpatient Stop in 6 mos.</i> | <i>Number of Stops in 6 mos. Among those</i> | <i>N</i> | <i>Any Psych. Outpatient Stop in 30 days</i> | <i>Any Psych. Outpatient Stop in 6 mos.</i> | <i>Number of Stops in 6 mos. Among those</i> | <i>N</i> | <i>Any Psych. Outpatient Stop in 30 days</i> | <i>Any Psych. Outpatient Stop in 6 mos.</i> | <i>Number of Stops in 6 mos. Among those</i> | |
| | <i>After DC</i> | <i>After DC</i> | <i>w any Stops</i> | | <i>After DC</i> | <i>After DC</i> | <i>w any Stops</i> | | <i>After DC</i> | <i>After DC</i> | <i>w any Stops</i> | |
| 1 | 1,668 | 63.8% | 83.3% | 17.32 | 1,706 | 63.0% | 82.7% | 14.29 | -1.4% | -0.7% | -17.5% | -0.91 |
| 2 | 742 | 64.8% | 84.8% | 18.75 | 758 | 67.5% | 84.0% | 19.48 | 4.2% | -0.9% | 3.9% | 0.64 |
| 3 | 1,348 | 54.5% | 75.4% | 21.58 | 1,295 | 54.6% | 76.8% | 21.45 | 0.3% | 1.8% | -0.6% | 0.39 |
| 4 | 1,359 | 57.8% | 81.9% | 12.87 | 1,552 | 57.3% | 80.9% | 13.22 | -1.0% | -1.2% | 2.7% | 0.23 |
| 5 | 1,374 | 57.1% | 80.2% | 18.45 | 1,415 | 51.1% | 75.5% | 16.59 | -10.5% | -5.9% | -10.1% | -1.50 |
| 6 | 2,452 | 45.4% | 75.8% | 9.00 | 2,510 | 49.3% | 80.3% | 9.42 | 8.8% | 5.9% | 4.7% | 1.57 |
| 7 | 1,985 | 60.0% | 85.0% | 13.66 | 1,950 | 58.0% | 79.7% | 14.10 | -3.3% | -6.2% | 3.2% | -0.33 |
| 8 | 2,303 | 59.2% | 80.9% | 12.05 | 2,423 | 56.7% | 80.0% | 10.94 | -4.3% | -1.0% | -9.2% | -0.64 |
| 9 | 1,934 | 48.7% | 72.4% | 6.56 | 2,053 | 50.3% | 74.0% | 6.52 | 3.4% | 2.3% | -0.6% | 0.62 |
| 10 | 1,391 | 66.4% | 86.6% | 22.91 | 1,542 | 63.8% | 83.4% | 22.48 | -3.9% | -3.7% | -1.9% | -0.44 |
| 11 | 1,460 | 57.9% | 81.7% | 15.30 | 1,555 | 59.4% | 81.7% | 16.00 | 2.6% | 0.0% | 4.6% | 0.66 |
| 12 | 1,562 | 59.9% | 80.9% | 25.94 | 1,823 | 57.4% | 78.5% | 28.04 | -4.1% | -3.0% | 8.1% | 0.19 |
| 15 | 1,844 | 63.1% | 83.1% | 13.93 | 1,971 | 62.5% | 83.7% | 12.56 | -1.0% | 0.8% | -9.8% | -0.32 |
| 16 | 3,040 | 55.9% | 78.4% | 12.02 | 3,032 | 55.1% | 79.3% | 10.30 | -1.3% | 1.2% | -14.3% | -0.55 |
| 17 | 1,719 | 53.9% | 74.9% | 8.71 | 1,715 | 53.8% | 76.3% | 9.05 | -0.2% | 1.9% | 3.9% | 0.63 |
| 18 | 1,126 | 62.4% | 84.0% | 13.38 | 1,299 | 60.7% | 82.1% | 12.03 | -2.7% | -2.2% | -10.1% | -0.71 |
| 19 | 917 | 69.8% | 87.4% | 16.55 | 853 | 66.6% | 87.8% | 16.89 | -4.6% | 0.5% | 2.1% | 0.13 |
| 20 | 1,516 | 63.8% | 85.8% | 11.57 | 1,502 | 65.4% | 86.2% | 11.93 | 2.5% | 0.5% | 3.1% | 0.61 |
| 21 | 1,041 | 55.1% | 78.5% | 12.92 | 1,222 | 50.7% | 76.4% | 10.21 | -8.0% | -2.6% | -21.0% | -1.69 |
| 22 | 1,457 | 60.6% | 82.2% | 11.75 | 1,497 | 59.7% | 81.8% | 13.20 | -1.5% | -0.6% | 12.3% | 0.81 |
| 23 | 1,316 | 66.7% | 84.0% | 28.43 | 1,330 | 66.7% | 86.2% | 29.19 | 0.0% | 2.5% | 2.7% | 0.62 |
| Total VA | 33,554 | 58.4% | 80.7% | 14.79 | 35,003 | 57.7% | 80.5% | 14.45 | -1.2% | -0.4% | -2.3% | |
| Average | 1,598 | 59.4% | 81.3% | 15.4 | 1,667 | 58.6% | 80.8% | 15.1 | -1.2% | -0.5% | -2.1% | |
| S.D. | 535 | 6.0% | 4.1% | 5.6 | 535 | 5.7% | 3.7% | 6.0 | 4.1% | 2.8% | 8.7% | |
| C.V. | 0.33 | 0.10 | 0.05 | 0.37 | 0.32 | 0.10 | 0.05 | 0.40 | -3.34 | -5.50 | -4.15 | |

† Sample includes the first episode for all patients discharged during the first half of each fiscal year.

Table 4-5. Changes in monitors of outpatient service utilization and outcome performance (unadjusted).†

OUTPATIENT SUBSTANCE ABUSE TREATMENT

| VISN | Any SA Outpatient Stop in 30 days After DC | | | Number of Stops in 6 mos. Among those w any Stops | Any SA Outpatient Stop in 30 days After DC | | | Any SA Outpatient Stop in 6 mos. After DC | Any SA Outpatient Stop in 6 mos. After DC | | | Summary SChg. Score (avg Z) Weighted |
|----------|--|--|---|---|--|--|---|---|--|---|---|--------------------------------------|
| | N | Any SA Outpatient Stop in 30 days After DC | Any SA Outpatient Stop in 6 mos. After DC | | N | Any SA Outpatient Stop in 30 days After DC | Any SA Outpatient Stop in 6 mos. After DC | | Any SA Outpatient Stop in 30 days After DC | Any SA Outpatient Stop in 6 mos. After DC | Any SA Outpatient Stop in 6 mos. After DC | |
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| VA Total | | | | | | | | | | | | |
| Average | | | | | | | | | | | | |
| S.D. | | | | | | | | | | | | |
| C.V. | | | | | | | | | | | | |

Specific data on the transition from inpatient to outpatient substance abuse programs is no longer presented because there was less than 100 discharges per VISN from inpatient substance abuse programs.

† Sample includes the first episode for all patients discharged during the first half of each fiscal year.

Table 4-5A. Changes in monitors of outpatient service utilization and outcome performance: April 1, 2002 through March 31, 2003-April 1, 2003 through March 31, 2004 (unadjusted).†

GENERAL PSYCHIATRY AND SUBSTANCE ABUSE OUTPATIENT TREATMENT

| VISN | April 1, 2001 through March 31, 2002 | | | | April 1, 2002 through March 31, 2003 | | | | Percent Change | | | Summary Gen Psy. and SA Chg. Score (avg Z) Weighted |
|----------|--------------------------------------|-----------------------------------|----------------------------------|--|--------------------------------------|-----------------------------------|----------------------------------|--|-----------------------------------|----------------------------------|--|--|
| | N | Any Outpatient Stop in 30 days | Any Outpatient Stop in 6 mos. | Number of Stops in 6 mos. Among those w any Stops | N | Any Outpatient Stop in 30 days | Any Outpatient Stop in 6 mos. | Number of Stops in 6 mos. Among those w any Stops | Any Outpatient Stop in 30 days | Any Outpatient Stop in 6 mos. | Number of Stops in 6 mos. Among those w any Stops | |
| | | After DC | After DC | | | After DC | After DC | | After DC | After DC | | |
| 1 | 2,097 | 58.2% | 76.6% | 16.77 | 2,023 | 57.3% | 77.7% | 14.61 | -1.5% | 1.3% | -12.8% | -0.50 |
| 2 | 742 | 64.8% | 84.8% | 18.75 | 758 | 67.5% | 84.0% | 19.48 | 4.2% | -0.9% | 3.9% | 0.66 |
| 3 | 1,348 | 54.5% | 75.4% | 21.58 | 1,295 | 54.6% | 76.8% | 21.45 | 0.3% | 1.8% | -0.6% | 0.37 |
| 4 | 1,447 | 57.3% | 81.1% | 12.67 | 1,646 | 57.1% | 80.3% | 12.86 | -0.3% | -1.0% | 1.5% | 0.13 |
| 5 | 1,533 | 54.0% | 76.8% | 18.65 | 1,415 | 51.1% | 75.5% | 16.59 | -5.4% | -1.7% | -11.1% | -1.05 |
| 6 | 2,536 | 45.9% | 75.8% | 10.39 | 2,602 | 49.1% | 79.6% | 10.33 | 6.8% | 4.9% | -0.5% | 1.25 |
| 7 | 2,116 | 59.8% | 84.2% | 14.17 | 1,986 | 57.9% | 79.3% | 14.16 | -3.2% | -5.8% | -0.1% | -0.70 |
| 8 | 2,303 | 59.2% | 80.9% | 12.05 | 2,423 | 56.7% | 80.0% | 10.94 | -4.3% | -1.0% | -9.2% | -0.78 |
| 9 | 2,072 | 48.4% | 70.8% | 7.41 | 2,054 | 50.3% | 74.0% | 6.52 | 4.0% | 4.4% | -12.0% | 0.34 |
| 10 | 1,538 | 66.0% | 85.9% | 24.98 | 1,693 | 63.9% | 82.8% | 24.20 | -3.2% | -3.6% | -3.1% | -0.64 |
| 11 | 1,684 | 57.2% | 80.2% | 15.74 | 1,741 | 57.3% | 79.4% | 16.66 | 0.1% | -1.0% | 5.9% | 0.41 |
| 12 | 1,717 | 58.1% | 78.6% | 25.25 | 1,824 | 57.4% | 78.5% | 28.02 | -1.2% | -0.2% | 11.0% | 0.64 |
| 15 | 1,844 | 63.1% | 83.1% | 13.93 | 1,971 | 62.5% | 83.7% | 12.56 | -1.0% | 0.8% | -9.8% | -0.35 |
| 16 | 3,105 | 55.8% | 78.2% | 12.43 | 3,066 | 55.2% | 79.3% | 10.47 | -1.1% | 1.4% | -15.8% | -0.61 |
| 17 | 1,719 | 53.9% | 74.9% | 8.71 | 1,716 | 53.8% | 76.3% | 9.05 | -0.1% | 2.0% | 3.8% | 0.58 |
| 18 | 1,234 | 62.0% | 82.7% | 13.45 | 1,299 | 60.7% | 82.1% | 12.03 | -2.0% | -0.7% | -10.5% | -0.63 |
| 19 | 917 | 69.8% | 87.4% | 16.55 | 853 | 66.6% | 87.8% | 16.89 | -4.6% | 0.5% | 2.1% | -0.04 |
| 20 | 1,684 | 64.5% | 85.6% | 13.29 | 1,657 | 66.0% | 85.5% | 13.90 | 2.2% | -0.1% | 4.6% | 0.60 |
| 21 | 1,332 | 50.6% | 73.5% | 14.87 | 1,330 | 50.8% | 75.3% | 10.95 | 0.4% | 2.4% | -26.4% | -0.94 |
| 22 | 1,593 | 61.5% | 81.9% | 11.72 | 1,626 | 60.8% | 81.5% | 13.07 | -1.0% | -0.5% | 11.5% | 0.66 |
| 23 | 1,316 | 66.7% | 84.0% | 28.43 | 1,330 | 66.7% | 86.2% | 29.19 | 0.0% | 2.5% | 2.7% | 0.59 |
| Total VA | 35,877 | 57.7% | 79.6% | 15.28 | 36,308 | 57.4% | 79.9% | 14.77 | -0.5% | 0.4% | -3.3% | |
| Average | 1,708 | 58.6% | 80.1% | 15.8 | 1,729 | 58.3% | 80.3% | 15.4 | -0.5% | 0.3% | -3.1% | |
| S.D. | 526 | 6.0% | 4.5% | 5.4 | 529 | 5.6% | 3.7% | 5.9 | 2.9% | 2.4% | 9.3% | |
| C.V. | 0.31 | 0.10 | 0.06 | 0.34 | 0.31 | 0.10 | 0.05 | 0.38 | -5.56 | 9.01 | -3.02 | |

† Sample includes the first episode for all patients discharged during the first half of each year.

Table 4-5B. Deviation of outpatient continuity of care from that of the median VISN over the first six months of treatment in April 1, 2004 through March 31, 2005, among patients with schizophrenia and affective psychosis (ICD-9 codes 295 and 296), by VISN, (adjusted for patient characteristics, distance of residence from VA, diagnosis, etc.).

| VISN | Number of O/P Stops | Number of Days with O/P Stops | Continuity: Bi-months with 2 stops | Continuity: Months with any stops | Dropout (6 months with no O/P visit) | Continuity of Care Index | Modified MCI | Number of Providers | Summary Continuity of Outpatient Care (Avg Z) |
|------------------|------------------------|-------------------------------------|--|---|---|-----------------------------|-----------------|------------------------|--|
| VISN Median | 15.92 | 11.78 | 2.46 | 4.09 | 0.16 | 0.53 | 0.76 | 3.01 | |
| VA National Avg. | 14.71 | 11.28 | 2.53 | 3.87 | 0.15 | 0.55 | 0.78 | 2.80 | |
| 1 | 0.00 | 0.32 | 0.13 | 0.11 | -0.03 | 0.05 | 0.06 | -0.22 | 0.78 |
| 2 | 4.37 | 3.31 | 0.19 | 0.27 | -0.04 | 0.02 | 0.07 | -0.07 | 1.51 |
| 3 | 2.59 | 0.77 | 0.15 | 0.08 | -0.03 | 0.07 | 0.09 | -0.42 | 1.13 |
| 4 | -2.85 X | -2.35 X | 0.09 | -0.13 X | -0.03 | 0.02 | 0.03 | -0.35 | -0.14 |
| 5 | 0.47 | -0.06 | 0.03 | -0.18 X | 0.02 X | 0.03 | 0.04 | -0.15 | -0.32 |
| 6 | -2.74 X | -2.11 X | 0.03 | -0.26 X | -0.02 | -0.02 X | -0.01 X | -0.26 | -0.71 |
| 7 | -1.85 X | -1.79 X | 0.01 | -0.23 X | 0.00 | -0.07 X | -0.03 X | 0.00 | -1.07 |
| 8 | -2.21 X | -2.56 X | 0.01 | -0.34 X | -0.01 | 0.01 | 0.01 | -0.25 | -0.75 |
| 9 | -2.78 X | -2.24 X | 0.06 | -0.14 X | -0.01 | -0.07 X | -0.05 X | -0.18 | -0.91 |
| 10 | 2.59 | 1.11 | 0.11 | 0.10 | -0.03 | -0.03 X | 0.02 | 0.16 | 0.52 |
| 11 | 1.03 | 0.18 | 0.07 | -0.11 X | -0.01 | 0.02 | 0.04 | -0.05 | 0.18 |
| 12 | 7.57 | 3.68 | 0.08 | 0.00 | -0.02 | 0.00 | 0.05 | 0.04 | 0.91 |
| 15 | 2.26 | 0.53 | 0.07 | -0.10 X | -0.02 | -0.04 X | 0.00 | 0.00 | -0.01 |
| 16 | -1.94 X | -1.59 X | 0.04 | -0.15 X | 0.00 | -0.07 X | -0.03 X | -0.07 | -0.88 |
| 17 | -2.58 X | -1.57 X | 0.00 | -0.25 X | 0.02 X | 0.01 | 0.01 | -0.34 | -0.89 |
| 18 | -2.39 X | -2.22 X | 0.00 | -0.26 X | 0.01 | -0.08 X | -0.05 X | 0.23 | -1.37 |
| 19 | 0.88 | 0.72 | 0.15 | 0.21 | -0.02 | 0.02 | 0.06 | -0.17 | 0.78 |
| 20 | -0.71 | 0.00 | 0.14 | 0.15 | -0.02 | 0.06 | 0.08 | -0.31 | 0.76 |
| 21 | -1.95 X | -1.30 X | 0.10 | 0.03 | -0.01 | 0.02 | 0.04 | -0.29 | 0.08 |
| 22 | 0.21 | -0.39 | 0.09 | -0.10 X | -0.01 | 0.00 | 0.01 | -0.02 | -0.11 |
| 23 | 4.71 | 1.19 | 0.10 | 0.02 | -0.03 | -0.04 X | 0.02 | 0.37 | 0.51 |

X = Significantly different (p<.05) from median VISN in the undesired direction, after adjustment for differences in patient characteristics, distance of residence from VA, diagnosis, etc.

Table 4-5C. Outpatient continuity of care over the first six months of treatment in April 1, 2004 through March 31, 2005, among patients with schizophrenia and affective psychosis (ICD-9 codes 295 and 296), by VISN.

| <i>OUTPATIENT GENERAL PSYCHIATRY AND SUBSTANCE ABUSE</i> | | | | | | | | | |
|--|---------|------------------------|-------------------|--|--------------------------|---|-----------------------------|-----------------|------------------------|
| VISN | N | Number of O/P Stops | Number of Days | Continuity: Bi-months with 2 stops | Continuity Six Months | Dropout (6 months with no O/P visit) | Continuity of Care Index | Modified MCI | Number of Providers |
| 1 | 6,920 | 15.92 | 12.95 | 2.61 | 4.14 | 0.12 | 0.60 | 0.82 | 2.79 |
| 2 | 3,862 | 19.28 | 15.30 | 2.65 | 4.26 | 0.12 | 0.57 | 0.83 | 2.85 |
| 3 | 5,994 | 19.08 | 13.86 | 2.62 | 4.11 | 0.12 | 0.63 | 0.86 | 2.59 |
| 4 | 7,428 | 11.58 | 9.42 | 2.54 | 3.82 | 0.13 | 0.58 | 0.79 | 2.50 |
| 5 | 3,385 | 20.21 | 14.88 | 2.54 | 4.01 | 0.17 | 0.55 | 0.80 | 3.27 |
| 6 | 5,615 | 9.70 | 8.22 | 2.47 | 3.61 | 0.15 | 0.55 | 0.75 | 2.44 |
| 7 | 7,010 | 13.42 | 10.29 | 2.48 | 3.78 | 0.16 | 0.48 | 0.73 | 3.01 |
| 8 | 10,330 | 11.06 | 8.30 | 2.45 | 3.54 | 0.15 | 0.58 | 0.77 | 2.52 |
| 9 | 3,934 | 9.12 | 7.81 | 2.48 | 3.67 | 0.16 | 0.51 | 0.71 | 2.45 |
| 10 | 6,425 | 17.83 | 13.26 | 2.56 | 4.04 | 0.13 | 0.53 | 0.78 | 3.11 |
| 11 | 5,434 | 14.28 | 11.11 | 2.50 | 3.75 | 0.15 | 0.59 | 0.80 | 2.69 |
| 12 | 5,449 | 25.93 | 17.65 | 2.57 | 4.09 | 0.14 | 0.53 | 0.81 | 3.33 |
| 15 | 5,521 | 14.81 | 10.86 | 2.48 | 3.72 | 0.15 | 0.54 | 0.76 | 2.71 |
| 16 | 10,078 | 11.60 | 9.28 | 2.47 | 3.71 | 0.17 | 0.50 | 0.72 | 2.75 |
| 17 | 4,898 | 12.50 | 10.45 | 2.46 | 3.72 | 0.18 | 0.56 | 0.77 | 2.61 |
| 18 | 4,721 | 12.44 | 9.62 | 2.46 | 3.73 | 0.17 | 0.47 | 0.71 | 3.19 |
| 19 | 4,345 | 14.33 | 11.68 | 2.58 | 4.10 | 0.15 | 0.58 | 0.82 | 2.63 |
| 20 | 6,735 | 14.31 | 11.78 | 2.60 | 4.11 | 0.14 | 0.60 | 0.83 | 2.69 |
| 21 | 5,568 | 12.70 | 10.56 | 2.56 | 3.99 | 0.15 | 0.58 | 0.80 | 2.59 |
| 22 | 7,728 | 15.37 | 11.75 | 2.54 | 3.86 | 0.16 | 0.56 | 0.78 | 2.90 |
| 23 | 6,262 | 19.94 | 13.07 | 2.55 | 3.97 | 0.14 | 0.51 | 0.77 | 3.40 |
| All VA | 127,642 | 14.71 | 11.28 | 2.53 | 3.87 | 0.15 | 0.55 | 0.78 | 2.80 |
| Avg. | 6,078 | 15.02 | 11.53 | 2.53 | 3.89 | 0.15 | 0.55 | 0.78 | 2.81 |
| S.D. | 1,808 | 4.11 | 2.54 | 0.06 | 0.21 | 0.02 | 0.04 | 0.04 | 0.30 |
| C.V | 0.30 | 0.27 | 0.22 | 0.02 | 0.05 | 0.11 | 0.08 | 0.05 | 0.11 |

Table 4-6. Summary of Outpatient Monitors, by VISN, April 1, 2004 through March 31, 2005.*

| <i>VISN</i> | <i>Summary OP Gen Psyc. and SA Score (avg Z) Weighted</i> | <i>Summary OP Medical Score (avg Z:) Weighted</i> | <i>Summary OP Dual Dx. Score (avg Z:) Weighted</i> | <i>Summary Gen Psy. and SA Chg. Score (avg Z) Weighted</i> | <i>Summary Continuity of Outpatient Care (Avg Z)</i> | <i>Summary Outpatient Score (avg Z) Weighted</i> | <i>Rank Compared to Other VISNs</i> |
|----------------------|---|---|--|--|--|--|---|
| 1 | -0.12 | -1.18 | 0.32 | -0.50 | 0.78 | 0.00 | 12 |
| 2 | 1.02 | 0.62 | 0.89 | 0.66 | 1.51 | 1.03 | 1 |
| 3 | 0.39 | 0.94 | 0.04 | 0.37 | 1.13 | 0.63 | 5 |
| 4 | -0.32 | -1.37 | -0.44 | 0.13 | -0.14 | -0.37 | 13 |
| 5 | 0.61 | 2.15 | 0.66 | -1.05 | -0.32 | 0.33 | 8 |
| 6 | -1.36 | 0.08 | -1.30 | 1.25 | -0.71 | -0.59 | 18 |
| 7 | -0.16 | -0.09 | -0.02 | -0.70 | -1.07 | -0.47 | 14 |
| 8 | -0.64 | 0.42 | -1.10 | -0.78 | -0.75 | -0.61 | 19 |
| 9 | -1.84 | -1.03 | -1.98 | 0.34 | -0.91 | -1.17 | 21 |
| 10 | 1.02 | -0.40 | 0.99 | -0.64 | 0.52 | 0.43 | 7 |
| 11 | -0.16 | 0.93 | -0.30 | 0.41 | 0.18 | 0.15 | 10 |
| 12 | 0.40 | 1.32 | 0.50 | 0.64 | 0.91 | 0.73 | 3 |
| 15 | 0.34 | 0.37 | 0.77 | -0.35 | -0.01 | 0.21 | 9 |
| 16 | -0.42 | -0.13 | -0.04 | -0.61 | -0.88 | -0.48 | 16 |
| 17 | -0.81 | -0.37 | -0.73 | 0.58 | -0.89 | -0.56 | 17 |
| 18 | 0.08 | -0.08 | -0.01 | -0.63 | -1.37 | -0.47 | 15 |
| 19 | 1.05 | 0.28 | 0.86 | -0.04 | 0.78 | 0.68 | 4 |
| 20 | 0.74 | -0.58 | 0.12 | 0.60 | 0.76 | 0.45 | 6 |
| 21 | -1.23 | -1.52 | -0.78 | -0.94 | 0.08 | -0.79 | 20 |
| 22 | -0.23 | -0.31 | 0.45 | 0.66 | -0.11 | 0.02 | 11 |
| 23 | 1.64 | -0.04 | 1.09 | 0.59 | 0.51 | 0.85 | 2 |
| Reference Page... | 4-2B | 4-3 | 4-3 | 4-5A | 4-5B | | |

* Values represent average Z scores for monitors in each sub-domain.

THIS PAGE INTENTIONALLY LEFT BLANK

DRAFT

Table 5-1. Annual inpatient workload, by VISN: April 1, 2003 through March 31, 2004, April 1, 2004 through March 31, 2005, and change.

| VISN | INPATIENT EPISODES (4/1/04 through 3/31/05) | | | | | UNIQUE INPATIENTS (4/1/04 through 3/31/05) | | | | | MH as % of All VA | |
|--------|---|--------------------|-----------------|--------|-------------------|--|--------------------|-----------------|--------|---------------------|-------------------|------------|
| | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes | All VA Patients | General Psychiatry | Substance Abuse | PRRTP | Total MH Inpatients | Episodes | Unique Pts |
| 1 | 26,053 | 4,637 | 987 | 646 | 6,270 | 15,837 | 3,099 | 693 | 562 | 3,733 | 24.1% | 23.6% |
| 2 | 15,980 | 1,887 | 4 | 837 | 2,728 | 9,725 | 1,308 | 4 | 720 | 1,815 | 17.1% | 18.7% |
| 3 | 24,949 | 3,255 | 5 | 696 | 3,956 | 14,698 | 2,298 | 4 | 651 | 2,530 | 15.9% | 17.2% |
| 4 | 29,901 | 3,855 | 156 | 561 | 4,572 | 18,409 | 2,807 | 125 | 538 | 3,209 | 15.3% | 17.4% |
| 5 | 20,270 | 3,963 | 0 | 622 | 4,585 | 11,534 | 2,326 | 0 | 582 | 2,585 | 22.6% | 22.4% |
| 6 | 34,820 | 6,361 | 263 | 751 | 7,375 | 21,720 | 4,295 | 253 | 694 | 4,918 | 21.2% | 22.6% |
| 7 | 33,215 | 4,905 | 38 | 207 | 5,150 | 22,044 | 3,488 | 37 | 205 | 3,615 | 15.5% | 16.4% |
| 8 | 55,870 | 6,276 | 0 | 696 | 6,972 | 34,799 | 4,275 | 0 | 644 | 4,715 | 12.5% | 13.5% |
| 9 | 38,212 | 5,188 | 3 | 300 | 5,491 | 23,799 | 3,808 | 3 | 294 | 3,911 | 14.4% | 16.4% |
| 10 | 26,475 | 3,797 | 305 | 1,323 | 5,425 | 15,032 | 2,693 | 250 | 1,186 | 3,340 | 20.5% | 22.2% |
| 11 | 26,466 | 3,641 | 426 | 733 | 4,800 | 16,107 | 2,564 | 390 | 627 | 3,283 | 18.1% | 20.4% |
| 12 | 33,280 | 5,088 | 1 | 1,196 | 6,285 | 19,361 | 3,375 | 1 | 1,087 | 4,015 | 18.9% | 20.7% |
| 15 | 30,173 | 4,953 | 0 | 91 | 5,044 | 18,410 | 3,437 | 0 | 88 | 3,488 | 16.7% | 18.9% |
| 16 | 59,071 | 7,448 | 57 | 383 | 7,888 | 37,696 | 5,289 | 54 | 371 | 5,604 | 13.4% | 14.9% |
| 17 | 32,198 | 4,331 | 1 | 1,140 | 5,472 | 20,021 | 3,034 | 1 | 1,101 | 3,621 | 17.0% | 18.1% |
| 18 | 30,467 | 3,519 | 0 | 215 | 3,734 | 19,008 | 2,418 | 0 | 209 | 2,535 | 12.3% | 13.3% |
| 19 | 17,159 | 2,150 | 0 | 369 | 2,519 | 10,922 | 1,517 | 0 | 338 | 1,684 | 14.7% | 15.4% |
| 20 | 26,933 | 3,642 | 336 | 631 | 4,609 | 17,241 | 2,678 | 313 | 600 | 3,360 | 17.1% | 19.5% |
| 21 | 23,568 | 3,327 | 224 | 353 | 3,904 | 14,767 | 2,169 | 206 | 335 | 2,565 | 16.6% | 17.4% |
| 22 | 30,698 | 3,820 | 337 | 0 | 4,157 | 19,566 | 2,756 | 320 | 0 | 2,985 | 13.5% | 15.3% |
| 23 | 30,760 | 3,427 | 0 | 621 | 4,048 | 18,713 | 2,343 | 0 | 567 | 2,711 | 13.2% | 14.5% |
| All VA | 646,518 | 89,470 | 3,143 | 12,371 | 104,984 | 392,900 | 60,382 | 2,649 | 11,349 | 68,401 | 16.2% | 17.4% |
| Avg. | 30,787 | 4,260 | 150 | 589 | 4,999 | 19,019 | 2,951 | 126 | 543 | 3,344 | 16.7% | 18.0% |
| S.D. | 10,470 | 1,339 | 240 | 351 | 1,400 | 6,789 | 940 | 185 | 317 | 967 | 3.3% | 3.1% |
| C.V. | 0.34 | 0.31 | 1.60 | 0.60 | 0.28 | 0.36 | 0.32 | 1.47 | 0.58 | 0.29 | 0.20 | 0.17 |

| VISN | INPATIENT EPISODES (4/1/03 through 3/31/04) | | | | | UNIQUE INPATIENTS (4/1/03 through 3/31/04) | | | | | MH as % of All VA | |
|--------|---|--------------------|-----------------|--------|-------------------|--|--------------------|-----------------|--------|---------------------|-------------------|------------|
| | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes | All VA Patients | General Psychiatry | Substance Abuse | PRRTP | Total MH Inpatients | Episodes | Unique Pts |
| 1 | 25,667 | 4,511 | 1,079 | 701 | 6,291 | 15,456 | 2,995 | 801 | 636 | 3,747 | 24.5% | 24.2% |
| 2 | 15,683 | 1,970 | 1 | 825 | 2,796 | 9,519 | 1,340 | 1 | 714 | 1,782 | 17.8% | 18.7% |
| 3 | 25,373 | 3,375 | 0 | 668 | 4,043 | 14,976 | 2,356 | 0 | 621 | 2,608 | 15.9% | 17.4% |
| 4 | 28,377 | 3,449 | 216 | 578 | 4,243 | 17,465 | 2,450 | 162 | 553 | 2,943 | 15.0% | 16.9% |
| 5 | 21,208 | 4,136 | 317 | 686 | 5,139 | 11,876 | 2,490 | 216 | 636 | 2,800 | 24.2% | 23.6% |
| 6 | 33,145 | 6,436 | 217 | 767 | 7,420 | 20,801 | 4,204 | 204 | 745 | 4,836 | 22.4% | 23.2% |
| 7 | 33,573 | 5,026 | 258 | 90 | 5,374 | 21,835 | 3,473 | 216 | 86 | 3,720 | 16.0% | 17.0% |
| 8 | 53,005 | 5,982 | 0 | 783 | 6,765 | 33,286 | 4,102 | 0 | 731 | 4,652 | 12.8% | 14.0% |
| 9 | 37,432 | 4,900 | 212 | 325 | 5,437 | 23,499 | 3,552 | 196 | 322 | 3,892 | 14.5% | 16.6% |
| 10 | 25,582 | 3,549 | 326 | 1,159 | 5,034 | 14,704 | 2,461 | 276 | 1,056 | 3,084 | 19.7% | 21.0% |
| 11 | 25,959 | 3,611 | 440 | 868 | 4,919 | 15,785 | 2,571 | 407 | 738 | 3,347 | 18.9% | 21.2% |
| 12 | 32,714 | 4,193 | 365 | 1,236 | 5,794 | 18,883 | 2,779 | 277 | 1,138 | 3,658 | 17.7% | 19.4% |
| 15 | 29,411 | 4,709 | 0 | 79 | 4,788 | 17,726 | 3,297 | 0 | 78 | 3,340 | 16.3% | 18.8% |
| 16 | 56,906 | 7,692 | 115 | 409 | 8,216 | 36,725 | 5,607 | 98 | 400 | 5,996 | 14.4% | 16.3% |
| 17 | 32,220 | 4,295 | 1 | 1,187 | 5,483 | 19,666 | 3,045 | 1 | 1,142 | 3,614 | 17.0% | 18.4% |
| 18 | 29,399 | 3,054 | 281 | 251 | 3,586 | 18,455 | 2,067 | 223 | 235 | 2,409 | 12.2% | 13.1% |
| 19 | 16,916 | 2,276 | 0 | 365 | 2,641 | 10,950 | 1,687 | 0 | 344 | 1,863 | 15.6% | 17.0% |
| 20 | 27,358 | 3,713 | 355 | 713 | 4,781 | 17,341 | 2,716 | 322 | 676 | 3,468 | 17.5% | 20.0% |
| 21 | 23,555 | 2,971 | 683 | 301 | 3,955 | 14,657 | 1,977 | 579 | 287 | 2,664 | 16.8% | 18.2% |
| 22 | 29,260 | 3,654 | 296 | 0 | 3,950 | 19,029 | 2,681 | 292 | 0 | 2,898 | 13.5% | 15.2% |
| 23 | 29,396 | 3,338 | 0 | 527 | 3,865 | 18,061 | 2,293 | 0 | 490 | 2,612 | 13.1% | 14.5% |
| All VA | 632,139 | 86,840 | 5,162 | 12,518 | 104,520 | 384,131 | 58,488 | 4,262 | 11,582 | 68,012 | 16.5% | 17.7% |

| VISN | INPATIENT EPISODES (CHANGE) | | | | | UNIQUE INPATIENTS (CHANGE) | | | | | MH as % of All VA | |
|--------|-----------------------------|--------------------|-----------------|--------|-------------------|----------------------------|--------------------|-----------------|--------|---------------------|-------------------|------------|
| | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes | All VA Patients | General Psychiatry | Substance Abuse | PRRTP | Total MH Inpatients | Episodes | Unique Pts |
| 1 | 1.5% | 2.8% | -8.5% | -7.8% | -0.3% | 2.5% | 3.5% | -13.5% | -11.6% | -0.4% | -1.8% | -2.8% |
| 2 | 1.9% | -4.2% | N/A | 1.5% | -2.4% | 2.2% | -2.4% | N/A | 0.8% | 1.9% | -4.2% | -0.3% |
| 3 | -1.7% | -3.6% | N/A | 4.2% | -2.2% | -1.9% | -2.5% | N/A | 4.8% | -3.0% | -0.5% | -1.2% |
| 4 | 5.4% | 11.8% | -27.8% | -2.9% | 7.8% | 5.4% | 14.6% | -22.8% | -2.7% | 9.0% | 2.3% | 3.4% |
| 5 | -4.4% | -4.2% | N/A | -9.3% | -10.8% | -2.9% | -6.6% | N/A | -8.5% | -7.7% | -6.7% | -4.9% |
| 6 | 5.1% | -1.2% | 21.2% | -2.1% | -0.6% | 4.4% | 2.2% | 24.0% | -6.8% | 1.7% | -5.4% | -2.6% |
| 7 | -1.1% | -2.4% | -85.3% | 130.0% | -4.2% | 1.0% | 0.4% | -82.9% | 138.4% | -2.8% | -3.1% | -3.7% |
| 8 | 5.4% | 4.9% | N/A | -11.1% | 3.1% | 4.5% | 4.2% | N/A | -11.9% | 1.4% | -2.2% | -3.1% |
| 9 | 2.1% | 5.9% | N/A | -7.7% | 1.0% | 1.3% | 7.2% | N/A | -8.7% | 0.5% | -1.1% | -0.8% |
| 10 | 3.5% | 7.0% | -6.4% | 14.2% | 7.8% | 2.2% | 9.4% | -9.4% | 12.3% | 8.3% | 4.1% | 5.9% |
| 11 | 2.0% | 0.8% | -3.2% | -15.6% | -2.4% | 2.0% | -0.3% | -4.2% | -15.0% | -1.9% | -4.3% | -3.9% |
| 12 | 1.7% | 21.3% | N/A | -3.2% | 8.5% | 2.5% | 21.4% | N/A | -4.5% | 9.8% | 6.6% | 7.0% |
| 15 | 2.6% | 5.2% | N/A | 15.2% | 5.3% | 3.9% | 4.2% | N/A | 12.8% | 4.4% | 2.7% | 0.6% |
| 16 | 3.8% | -3.2% | -50.4% | -6.4% | -4.0% | 2.6% | -5.7% | -44.9% | -7.3% | -6.5% | -7.5% | -8.9% |
| 17 | -0.1% | 0.8% | N/A | -4.0% | -0.2% | 1.8% | -0.4% | N/A | -3.6% | 0.2% | -0.1% | -1.6% |
| 18 | 3.6% | 15.2% | N/A | -14.3% | 4.1% | 3.0% | 17.0% | N/A | -11.1% | 5.2% | 0.5% | 2.2% |
| 19 | 1.4% | -5.5% | N/A | 1.1% | -4.6% | -0.3% | -10.1% | N/A | -1.7% | -9.6% | -6.0% | -9.4% |
| 20 | -1.6% | -1.9% | -5.4% | -11.5% | -3.6% | -0.6% | -1.4% | -2.8% | -11.2% | -3.1% | -2.1% | -2.6% |
| 21 | 0.1% | 12.0% | -67.2% | 17.3% | -1.3% | 0.8% | 9.7% | -64.4% | 16.7% | -3.7% | -1.3% | -4.4% |
| 22 | 4.9% | 4.5% | 13.9% | N/A | 5.2% | 2.8% | 2.8% | 9.6% | N/A | 3.0% | 0.3% | 0.2% |
| 23 | 4.6% | 2.7% | N/A | 17.8% | 4.7% | 3.6% | 2.2% | N/A | 15.7% | 3.8% | 0.1% | 0.2% |
| All VA | 2.3% | 3.0% | -39.1% | -1.2% | 0.4% | 2.3% | 3.2% | -37.8% | -2.0% | 0.6% | -1.8% | -1.7% |

Table 5-1b. Annual LOS data, by VISN: April 1, 2004 through March 31, 2005

| VISN | LOS OF INPATIENT EPISODES (4/1/04-3/31/05) | | | | | INPATIENT EPISODES/UNIQUE VETERAN (4/1/04-3/31/05) | | | | | BED DAYS OF CARE/UNIQUE PATIENT (4/1/04-3/31/05) | | | | |
|--------|--|--------------------|-----------------|-------|-------------------|--|--------------------|-----------------|-------|-------------------|--|--------------------|-----------------|-------|-------------------|
| | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes |
| 1 | 16.1 | 16.7 | 6.9 | 57.0 | 19.3 | 1.6 | 1.5 | 1.4 | 1.1 | 1.7 | 26.6 | 25.0 | 9.9 | 65.6 | 32.5 |
| 2 | 18.2 | 11.7 | 19.8 | 30.3 | 17.4 | 1.6 | 1.4 | 1.0 | 1.2 | 1.5 | 29.9 | 16.8 | 19.8 | 35.2 | 26.1 |
| 3 | 18.9 | 17.4 | 7.2 | 39.0 | 21.2 | 1.7 | 1.4 | 1.3 | 1.1 | 1.6 | 32.1 | 24.7 | 9.0 | 41.7 | 33.2 |
| 4 | 19.3 | 17.5 | 3.3 | 52.1 | 21.3 | 1.6 | 1.4 | 1.2 | 1.0 | 1.4 | 31.4 | 24.1 | 4.1 | 54.3 | 30.3 |
| 5 | 18.7 | 10.8 | NA | 52.6 | 16.5 | 1.8 | 1.7 | 0.0 | 1.1 | 1.8 | 32.9 | 18.4 | 0.0 | 56.2 | 29.2 |
| 6 | 14.1 | 12.2 | 18.5 | 33.2 | 14.6 | 1.6 | 1.5 | 1.0 | 1.1 | 1.5 | 22.5 | 18.1 | 19.2 | 35.9 | 21.9 |
| 7 | 14.7 | 12.2 | 6.2 | 80.6 | 14.9 | 1.5 | 1.4 | 1.0 | 1.0 | 1.4 | 22.1 | 17.2 | 6.4 | 81.4 | 21.2 |
| 8 | 13.0 | 6.8 | NA | 52.2 | 11.3 | 1.6 | 1.5 | 0.0 | 1.1 | 1.5 | 20.9 | 10.0 | 0.0 | 56.4 | 16.7 |
| 9 | 11.7 | 12.2 | 10.0 | 15.0 | 12.4 | 1.6 | 1.4 | 1.0 | 1.0 | 1.4 | 18.9 | 16.6 | 10.0 | 15.3 | 17.4 |
| 10 | 16.5 | 9.0 | 4.5 | 21.7 | 11.8 | 1.8 | 1.4 | 1.2 | 1.1 | 1.6 | 29.1 | 12.6 | 5.5 | 24.2 | 19.2 |
| 11 | 14.1 | 16.3 | 7.4 | 43.4 | 19.7 | 1.6 | 1.4 | 1.1 | 1.2 | 1.5 | 23.2 | 23.1 | 8.1 | 50.7 | 28.7 |
| 12 | 16.0 | 8.8 | 6.0 | 40.6 | 14.9 | 1.7 | 1.5 | 1.0 | 1.1 | 1.6 | 27.4 | 13.3 | 6.0 | 44.7 | 23.3 |
| 15 | 12.7 | 12.8 | NA | 176.9 | 15.7 | 1.6 | 1.4 | 0.0 | 1.0 | 1.4 | 20.8 | 18.4 | 0.0 | 182.9 | 22.7 |
| 16 | 11.5 | 12.4 | 9.3 | 52.5 | 14.4 | 1.6 | 1.4 | 1.1 | 1.0 | 1.4 | 18.0 | 17.5 | 9.8 | 54.2 | 20.2 |
| 17 | 18.0 | 10.1 | 9.0 | 42.5 | 16.8 | 1.6 | 1.4 | 1.0 | 1.0 | 1.5 | 28.9 | 14.4 | 9.0 | 44.0 | 25.4 |
| 18 | 11.4 | 7.2 | NA | 45.9 | 9.5 | 1.6 | 1.5 | 0.0 | 1.0 | 1.5 | 18.3 | 10.5 | 0.0 | 47.2 | 14.0 |
| 19 | 10.5 | 17.0 | NA | 35.9 | 19.7 | 1.6 | 1.4 | 0.0 | 1.1 | 1.5 | 16.4 | 24.1 | 0.0 | 39.2 | 29.5 |
| 20 | 16.4 | 10.2 | 6.8 | 34.6 | 13.3 | 1.6 | 1.4 | 1.1 | 1.1 | 1.4 | 25.7 | 13.8 | 7.3 | 36.4 | 18.2 |
| 21 | 16.9 | 11.2 | 23.4 | 63.0 | 16.6 | 1.6 | 1.5 | 1.1 | 1.1 | 1.5 | 27.0 | 17.2 | 25.5 | 66.4 | 25.3 |
| 22 | 15.2 | 15.2 | 23.5 | NA | 15.9 | 1.6 | 1.4 | 1.1 | 0.0 | 1.4 | 23.9 | 21.1 | 24.7 | 0.0 | 22.1 |
| 23 | 14.8 | 7.3 | NA | 41.4 | 12.5 | 1.6 | 1.5 | 0.0 | 1.1 | 1.5 | 24.3 | 10.6 | 0.0 | 45.3 | 18.7 |
| All VA | 14.8 | 11.9 | 10.6 | 42.1 | 15.4 | 1.6 | 1.5 | 1.2 | 1.1 | 1.5 | 24.4 | 17.7 | 12.5 | 45.9 | 23.7 |
| Avg. | 15.2 | 12.1 | 7.7 | 48.1 | 15.7 | 1.6 | 1.4 | 0.8 | 1.0 | 1.5 | 24.8 | 17.5 | 8.3 | 51.3 | 23.6 |
| S.D. | 2.7 | 3.4 | 7.6 | 34.1 | 3.3 | 0.1 | 0.1 | 0.5 | 0.2 | 0.1 | 4.9 | 4.8 | 8.0 | 35.0 | 5.5 |
| C.V. | 0.18 | 0.28 | 0.99 | 0.71 | 0.21 | 0.04 | 0.05 | 0.66 | 0.23 | 0.07 | 0.20 | 0.27 | 0.96 | 0.68 | 0.23 |

Table 5-1c. Annual LOS data, by VISN: April 1, 2003 through March 31, 2004

| VISN | LOS OF INPATIENT EPISODES (4/1/03-3/31/04) | | | | | INPATIENT EPISODES/UNIQUE VETERAN (4/1/03-3/31/04) | | | | | BED DAYS OF CARE/UNIQUE PATIENT (4/1/03-3/31/04) | | | | |
|--------|--|--------------------|-----------------|-------|-------------------|--|--------------------|-----------------|-------|-------------------|--|--------------------|-----------------|-------|-------------------|
| | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes |
| 1 | 17.3 | 17.7 | 5.3 | 57.3 | 20.0 | 1.7 | 1.5 | 1.3 | 1.1 | 1.7 | 28.8 | 26.6 | 7.2 | 63.1 | 33.5 |
| 2 | 20.3 | 11.5 | 10.0 | 29.8 | 16.9 | 1.6 | 1.5 | 1.0 | 1.2 | 1.6 | 33.4 | 16.8 | 10.0 | 34.5 | 26.5 |
| 3 | 19.5 | 17.0 | 0.0 | 40.1 | 20.8 | 1.7 | 1.4 | 0.0 | 1.1 | 1.6 | 33.0 | 24.3 | 0.0 | 43.1 | 32.2 |
| 4 | 17.8 | 16.0 | 3.2 | 50.1 | 20.0 | 1.6 | 1.4 | 1.3 | 1.0 | 1.4 | 28.9 | 22.5 | 4.3 | 52.3 | 28.8 |
| 5 | 17.8 | 9.7 | 4.0 | 49.7 | 14.7 | 1.8 | 1.7 | 1.5 | 1.1 | 1.8 | 31.7 | 16.1 | 5.8 | 53.6 | 26.9 |
| 6 | 15.2 | 11.8 | 19.3 | 36.6 | 14.6 | 1.6 | 1.5 | 1.1 | 1.0 | 1.5 | 24.2 | 18.1 | 20.5 | 37.7 | 22.4 |
| 7 | 14.2 | 13.0 | 5.7 | 57.2 | 13.4 | 1.5 | 1.4 | 1.2 | 1.0 | 1.4 | 21.8 | 18.8 | 6.8 | 59.8 | 19.3 |
| 8 | 13.8 | 7.2 | 0.0 | 51.5 | 12.3 | 1.6 | 1.5 | 0.0 | 1.1 | 1.5 | 21.9 | 10.5 | 0.0 | 55.2 | 17.9 |
| 9 | 11.6 | 9.2 | 4.1 | 12.6 | 9.2 | 1.6 | 1.4 | 1.1 | 1.0 | 1.4 | 18.4 | 12.7 | 4.4 | 12.7 | 12.8 |
| 10 | 17.4 | 9.3 | 4.5 | 23.0 | 12.1 | 1.7 | 1.4 | 1.2 | 1.1 | 1.6 | 30.3 | 13.4 | 5.4 | 25.3 | 19.8 |
| 11 | 14.5 | 18.0 | 7.4 | 41.5 | 21.2 | 1.6 | 1.4 | 1.1 | 1.2 | 1.5 | 23.8 | 25.3 | 8.0 | 48.8 | 31.2 |
| 12 | 16.6 | 10.1 | 3.7 | 41.3 | 16.4 | 1.7 | 1.5 | 1.3 | 1.1 | 1.6 | 28.8 | 15.2 | 4.8 | 44.9 | 25.9 |
| 15 | 12.3 | 13.2 | 0.0 | 149.8 | 15.4 | 1.7 | 1.4 | 0.0 | 1.0 | 1.4 | 20.4 | 18.8 | 0.0 | 151.7 | 22.1 |
| 16 | 12.6 | 13.5 | 7.8 | 57.7 | 15.6 | 1.5 | 1.4 | 1.2 | 1.0 | 1.4 | 19.5 | 18.5 | 9.2 | 59.0 | 21.4 |
| 17 | 18.8 | 17.7 | 6.0 | 27.8 | 19.9 | 1.6 | 1.4 | 1.0 | 1.0 | 1.5 | 30.9 | 25.0 | 6.0 | 28.9 | 30.2 |
| 18 | 11.9 | 8.2 | 5.1 | 43.8 | 10.5 | 1.6 | 1.5 | 1.3 | 1.1 | 1.5 | 18.9 | 12.1 | 6.4 | 46.8 | 15.6 |
| 19 | 10.5 | 16.3 | 0.0 | 35.2 | 18.9 | 1.5 | 1.3 | 0.0 | 1.1 | 1.4 | 16.2 | 22.0 | 0.0 | 37.3 | 26.8 |
| 20 | 17.3 | 10.6 | 6.6 | 42.7 | 15.1 | 1.6 | 1.4 | 1.1 | 1.1 | 1.4 | 27.2 | 14.4 | 7.3 | 45.0 | 20.8 |
| 21 | 17.0 | 12.7 | 12.2 | 64.3 | 16.5 | 1.6 | 1.5 | 1.2 | 1.0 | 1.5 | 27.3 | 19.0 | 14.3 | 67.5 | 24.5 |
| 22 | 15.7 | 15.7 | 23.6 | 0.0 | 16.3 | 1.5 | 1.4 | 1.0 | 0.0 | 1.4 | 24.1 | 21.4 | 24.0 | 0.0 | 22.2 |
| 23 | 15.2 | 7.4 | 0.0 | 41.7 | 12.0 | 1.6 | 1.5 | 0.0 | 1.1 | 1.5 | 24.8 | 10.7 | 0.0 | 44.8 | 17.8 |
| All VA | 15.2 | 12.5 | 7.8 | 40.7 | 15.7 | 1.6 | 1.5 | 1.2 | 1.1 | 1.5 | 25.1 | 18.6 | 9.5 | 44.0 | 24.1 |
| Avg. | 15.6 | 12.6 | 6.1 | 45.4 | 15.8 | 1.6 | 1.4 | 0.9 | 1.0 | 1.5 | 24.3 | 18.2 | 6.9 | 48.2 | 23.8 |
| S.D. | 2.8 | 3.4 | 6.0 | 28.5 | 3.4 | 0.1 | 0.1 | 0.5 | 0.2 | 0.1 | 5.1 | 4.6 | 6.2 | 28.8 | 5.5 |
| C.V. | 0.18 | 0.27 | 0.98 | 0.63 | 0.21 | 0.04 | 0.05 | 0.54 | 0.23 | 0.08 | 0.21 | 0.25 | 0.90 | 0.60 | 0.23 |

Table 5-1D. Change in LOS, April 1, 2003 through March 31, 2004 and April 1, 2004 through March 31, 2005.

| VISN | LOS OF INPATIENT EPISODES (4/1/03 through 3/31/04) | | | | | LOS OF INPATIENT EPISODES (4/1/04 through 3/31/05) | | | | | PERCENT CHANGE | | | | |
|--------|--|-----------------------|--------------------|-------|----------------------|--|-----------------------|--------------------|-------|----------------------|--------------------|-----------------------|--------------------|--------|----------------------|
| | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes | All VA Episodes | General Psychiatry | Substance Abuse | PRRTP | Total MH Episodes |
| 1 | 17.3 | 17.7 | 5.3 | 57.3 | 20.0 | 16.1 | 16.7 | 6.9 | 57.0 | 19.3 | -6.7% | -5.5% | 31.0% | -0.5% | -3.3% |
| 2 | 20.3 | 11.5 | 10.0 | 29.8 | 16.9 | 18.2 | 11.7 | 19.8 | 30.3 | 17.4 | -10.4% | 1.4% | 97.5% | 1.7% | 2.9% |
| 3 | 19.5 | 17.0 | NA | 40.1 | 20.8 | 18.9 | 17.4 | 7.2 | 39.0 | 21.2 | -3.2% | 2.6% | NA | -2.7% | 2.0% |
| 4 | 17.8 | 16.0 | 3.2 | 50.1 | 20.0 | 19.3 | 17.5 | 3.3 | 52.1 | 21.3 | 8.5% | 9.5% | 3.8% | 3.9% | 6.4% |
| 5 | 17.8 | 9.7 | 4.0 | 49.7 | 14.7 | 18.7 | 10.8 | NA | 52.6 | 16.5 | 5.3% | 11.5% | NA | 5.8% | 12.1% |
| 6 | 15.2 | 11.8 | 19.3 | 36.6 | 14.6 | 14.1 | 12.2 | 18.5 | 33.2 | 14.6 | -7.5% | 3.7% | -4.3% | -9.4% | -0.1% |
| 7 | 14.2 | 13.0 | 5.7 | 57.2 | 13.4 | 14.7 | 12.2 | 6.2 | 80.6 | 14.9 | 3.4% | -6.2% | 9.4% | 40.9% | 11.2% |
| 8 | 13.8 | 7.2 | NA | 51.5 | 12.3 | 13.0 | 6.8 | NA | 52.2 | 11.3 | -5.6% | -5.8% | NA | 1.4% | -8.0% |
| 9 | 11.6 | 9.2 | 4.1 | 12.6 | 9.2 | 11.7 | 12.2 | 10.0 | 15.0 | 12.4 | 1.2% | 32.8% | 143.9% | 18.7% | 34.4% |
| 10 | 17.4 | 9.3 | 4.5 | 23.0 | 12.1 | 16.5 | 9.0 | 4.5 | 21.7 | 11.8 | -5.1% | -3.7% | 0.3% | -5.7% | -2.4% |
| 11 | 14.5 | 18.0 | 7.4 | 41.5 | 21.2 | 14.1 | 16.3 | 7.4 | 43.4 | 19.7 | -2.8% | -9.4% | 0.7% | 4.6% | -7.3% |
| 12 | 16.6 | 10.1 | 3.7 | 41.3 | 16.4 | 16.0 | 8.8 | 6.0 | 40.6 | 14.9 | -3.9% | -12.7% | 62.2% | -1.6% | -9.3% |
| 15 | 12.3 | 13.2 | NA | 149.8 | 15.4 | 12.7 | 12.8 | NA | 176.9 | 15.7 | 3.4% | -3.3% | NA | 18.1% | 2.1% |
| 16 | 12.6 | 13.5 | 7.8 | 57.7 | 15.6 | 11.5 | 12.4 | 9.3 | 52.5 | 14.4 | -8.7% | -7.9% | 18.8% | -9.0% | -8.0% |
| 17 | 18.8 | 17.7 | 6.0 | 27.8 | 19.9 | 18.0 | 10.1 | 9.0 | 42.5 | 16.8 | -4.4% | -43.2% | 50.0% | 52.9% | -15.5% |
| 18 | 11.9 | 8.2 | 5.1 | 43.8 | 10.5 | 11.4 | 7.2 | NA | 45.9 | 9.5 | -4.1% | -11.6% | NA | 4.9% | -9.8% |
| 19 | 10.5 | 16.3 | NA | 35.2 | 18.9 | 10.5 | 17.0 | NA | 35.9 | 19.7 | -0.4% | 4.2% | N/A | 1.9% | 4.5% |
| 20 | 17.3 | 10.6 | 6.6 | 42.7 | 15.1 | 16.4 | 10.2 | 6.8 | 34.6 | 13.3 | -4.9% | -3.9% | 3.4% | -19.0% | -12.1% |
| 21 | 17.0 | 12.7 | 12.2 | 64.3 | 16.5 | 16.9 | 11.2 | 23.4 | 63.0 | 16.6 | -0.6% | -11.8% | 92.1% | -2.0% | 0.6% |
| 22 | 15.7 | 15.7 | 23.6 | NA | 16.3 | 15.2 | 15.2 | 23.5 | NA | 15.9 | -2.9% | -3.0% | -0.5% | NA | -2.5% |
| 23 | 15.2 | 7.4 | NA | 41.7 | 12 | 14.8 | 7.3 | NA | 41.4 | 12.5 | -2.8% | -1.8% | NA | -0.8% | 4.2% |
| All VA | 15.2 | 12.5 | 7.8 | 40.7 | 15.7 | 14.8 | 11.9 | 10.6 | 42.1 | 15.4 | -2.6% | -4.6% | 35.3% | 3.3% | -1.7% |
| Avg. | 15.6 | 12.6 | 6.1 | 45.4 | 15.8 | 15.2 | 12.1 | 7.7 | 48.1 | 15.7 | -2.7% | -3.6% | 26.4% | 6.0% | -0.7% |
| S.D. | 2.8 | 3.6 | 6.1 | 28.5 | 3.5 | 2.7 | 3.4 | 7.6 | 34.1 | 3.3 | -4.4% | -4.3% | 24.8% | 19.6% | -5.9% |
| C.V. | 0.18 | 0.29 | 1.00 | 0.63 | 0.22 | 0.18 | 0.28 | 0.99 | 0.71 | 0.21 | -0.02 | -0.01 | -0.01 | 0.13 | -0.05 |

Table 5-2 Annual outpatient workload, by VISN: April 1, 2003 through March 31, 2004, April 1, 2004 through March 31, 2005, and change.

| VISN | All VA Outpatients | | General Psychiatry | | Substance Abuse | | All Mental Health | | MH as % | SA as % |
|---|--------------------|-------------|--------------------|-------------|-----------------|-------------|-------------------|-------------|-----------|---------|
| | Veterans | Avg. Visits | Veterans | Avg. Visits | Veterans | Avg. Visits | Veterans | Avg. Visits | of all VA | of MH |
| OUTPATIENT TREATMENT (4/1/04 through 3/31/05) | | | | | | | | | | |
| 1 | 229,942 | 14.2 | 40,255 | 9.5 | 5,676 | 26.2 | 41,596 | 12.7 | 18.1% | 13.6% |
| 2 | 132,261 | 15.1 | 22,562 | 12.1 | 3,151 | 21.3 | 23,189 | 14.7 | 17.5% | 13.6% |
| 3 | 189,231 | 15.7 | 33,297 | 12.1 | 5,404 | 37.8 | 34,893 | 17.4 | 18.4% | 15.5% |
| 4 | 293,060 | 11.9 | 42,057 | 7.6 | 5,681 | 26.6 | 43,638 | 10.8 | 14.9% | 13.0% |
| 5 | 123,029 | 17.2 | 20,544 | 9.6 | 5,347 | 42.1 | 22,367 | 18.9 | 18.2% | 23.9% |
| 6 | 252,193 | 14.0 | 46,518 | 6.3 | 4,452 | 16.1 | 47,687 | 7.6 | 18.9% | 9.3% |
| 7 | 286,418 | 14.8 | 52,728 | 8.4 | 5,366 | 23.1 | 53,892 | 10.5 | 18.8% | 10.0% |
| 8 | 511,463 | 14.7 | 77,682 | 6.0 | 7,647 | 15.6 | 80,267 | 7.3 | 15.7% | 9.5% |
| 9 | 240,718 | 14.3 | 40,931 | 4.8 | 3,150 | 13.8 | 41,904 | 5.8 | 17.4% | 7.5% |
| 10 | 179,208 | 17.0 | 38,067 | 10.5 | 8,636 | 30.9 | 40,611 | 16.4 | 22.7% | 21.3% |
| 11 | 217,663 | 13.2 | 34,538 | 8.2 | 5,242 | 25.1 | 36,260 | 11.4 | 16.7% | 14.5% |
| 12 | 228,217 | 16.0 | 31,468 | 13.9 | 5,555 | 35.3 | 33,075 | 19.2 | 14.5% | 16.8% |
| 15 | 222,726 | 14.3 | 34,956 | 8.2 | 4,118 | 38.9 | 35,882 | 12.5 | 16.1% | 11.5% |
| 16 | 436,384 | 14.5 | 77,553 | 7.1 | 10,695 | 21.6 | 80,507 | 9.7 | 18.4% | 13.3% |
| 17 | 233,786 | 15.9 | 39,366 | 7.1 | 4,733 | 21.6 | 40,747 | 9.4 | 17.4% | 11.6% |
| 18 | 239,319 | 14.0 | 38,217 | 6.9 | 4,163 | 14.9 | 39,270 | 8.3 | 16.4% | 10.6% |
| 19 | 142,680 | 14.1 | 23,623 | 8.3 | 3,747 | 14.8 | 24,696 | 10.2 | 17.3% | 15.2% |
| 20 | 209,657 | 14.3 | 41,203 | 8.0 | 7,621 | 18.2 | 43,853 | 10.6 | 20.9% | 17.4% |
| 21 | 220,008 | 13.2 | 36,887 | 7.9 | 5,181 | 23.4 | 38,218 | 10.7 | 17.4% | 13.6% |
| 22 | 255,689 | 15.0 | 48,692 | 8.8 | 7,356 | 23.8 | 50,509 | 12.0 | 19.8% | 14.6% |
| 23 | 265,101 | 14.3 | 36,473 | 11.1 | 6,385 | 24.2 | 38,295 | 14.5 | 14.4% | 16.7% |
| All VA | 4,943,385 | 15.0 | 840,518 | 8.5 | 117,040 | 25.2 | 872,766 | 11.5 | 17.7% | 13.4% |
| Avg. | 243,274 | 14.7 | 40,839 | 8.7 | 5,681 | 24.5 | 42,446 | 11.9 | 17.6% | 13.9% |
| Std. | 89,850 | 1.2 | 14,586 | 2.2 | 1,861 | 8.3 | 14,956 | 3.7 | 2.0% | 3.9% |
| C.V. | 0.37 | 0.1 | 0.36 | 0.3 | 0.33 | 0.3 | 0.35 | 0.3 | 0.11 | 0.28 |
| OUTPATIENT TREATMENT (4/1/03 through 3/31/04) | | | | | | | | | | |
| 1 | 227,326 | 14.2 | 38,578 | 11.7 | 6,066 | 24.7 | 40,196 | 14.9 | 17.7% | 15.1% |
| 2 | 128,409 | 15.5 | 21,135 | 13.2 | 3,175 | 21.0 | 21,814 | 15.8 | 17.0% | 14.6% |
| 3 | 192,873 | 15.6 | 32,599 | 13.3 | 5,382 | 39.1 | 34,146 | 18.9 | 17.7% | 15.8% |
| 4 | 285,881 | 12.1 | 39,621 | 8.1 | 5,550 | 28.2 | 41,273 | 11.5 | 14.4% | 13.4% |
| 5 | 120,804 | 17.6 | 19,960 | 10.8 | 5,616 | 45.0 | 21,927 | 21.3 | 18.2% | 25.6% |
| 6 | 240,562 | 13.5 | 39,698 | 6.5 | 4,300 | 14.3 | 40,966 | 7.8 | 17.0% | 10.5% |
| 7 | 273,100 | 15.0 | 48,677 | 9.0 | 5,812 | 20.2 | 49,957 | 11.1 | 18.3% | 11.6% |
| 8 | 494,059 | 14.5 | 73,671 | 6.4 | 7,533 | 16.4 | 76,195 | 7.8 | 15.4% | 9.9% |
| 9 | 232,475 | 14.5 | 35,077 | 5.3 | 2,894 | 15.2 | 36,061 | 6.4 | 15.5% | 8.0% |
| 10 | 171,561 | 16.7 | 36,625 | 11.3 | 8,915 | 29.4 | 39,363 | 17.2 | 22.9% | 22.6% |
| 11 | 211,905 | 13.0 | 32,430 | 8.9 | 5,712 | 26.0 | 34,278 | 12.7 | 16.2% | 16.7% |
| 12 | 226,180 | 16.1 | 30,424 | 14.9 | 5,913 | 37.4 | 32,054 | 21.1 | 14.2% | 18.4% |
| 15 | 215,303 | 13.9 | 33,357 | 8.6 | 4,888 | 31.9 | 34,363 | 12.9 | 16.0% | 14.2% |
| 16 | 420,019 | 14.6 | 72,530 | 7.5 | 11,131 | 20.7 | 75,754 | 10.2 | 18.0% | 14.7% |
| 17 | 221,447 | 15.7 | 34,609 | 8.0 | 4,560 | 20.6 | 35,860 | 10.3 | 16.2% | 12.7% |
| 18 | 235,229 | 13.7 | 36,334 | 7.3 | 4,170 | 14.8 | 37,423 | 8.7 | 15.9% | 11.1% |
| 19 | 136,579 | 14.2 | 22,228 | 8.4 | 3,720 | 14.4 | 23,222 | 10.4 | 17.0% | 16.0% |
| 20 | 195,739 | 14.6 | 39,147 | 8.6 | 7,423 | 18.8 | 41,788 | 11.4 | 21.3% | 17.8% |
| 21 | 214,331 | 13.6 | 35,930 | 8.4 | 4,907 | 27.6 | 37,107 | 11.6 | 17.3% | 13.2% |
| 22 | 248,581 | 15.1 | 46,856 | 9.5 | 7,147 | 23.3 | 48,844 | 12.6 | 19.6% | 14.6% |
| 23 | 256,013 | 14.2 | 33,336 | 12.6 | 6,413 | 28.6 | 35,116 | 17.1 | 13.7% | 18.3% |
| All VA | 4,793,236 | 15.0 | 786,295 | 9.3 | 118,871 | 25.5 | 819,677 | 12.6 | 17.1% | 14.5% |
| CHANGE IN OUTPATIENT TREATMENT | | | | | | | | | | |
| 1 | 1.2% | 0.1% | 4.3% | -18.5% | -6.4% | 6.0% | 3.5% | -14.7% | 2.3% | -9.9% |
| 2 | 3.0% | -3.0% | 6.8% | -7.8% | -0.8% | 1.6% | 6.3% | -7.0% | 2.9% | -6.8% |
| 3 | -1.9% | 0.9% | 2.1% | -9.1% | 0.4% | -3.2% | 2.2% | -7.8% | 4.0% | -1.9% |
| 4 | 2.5% | -1.6% | 6.1% | -5.9% | 2.4% | -5.9% | 5.7% | -6.5% | 3.5% | -3.0% |
| 5 | 1.8% | -2.1% | 2.9% | -11.3% | -4.8% | -6.4% | 2.0% | -11.6% | 0.0% | -6.6% |
| 6 | 4.8% | 3.6% | 17.2% | -2.8% | 3.5% | 12.9% | 16.4% | -1.7% | 11.2% | -11.4% |
| 7 | 4.9% | -0.7% | 8.3% | -6.7% | -7.7% | 14.1% | 7.9% | -5.5% | 2.7% | -13.8% |
| 8 | 3.5% | 1.6% | 5.4% | -6.2% | 1.5% | -5.1% | 5.3% | -6.6% | 1.9% | -4.0% |
| 9 | 3.5% | -1.0% | 16.7% | -9.2% | 8.8% | -9.5% | 16.2% | -9.8% | 12.3% | -6.3% |
| 10 | 4.5% | 1.9% | 3.9% | -7.1% | -3.1% | 5.1% | 3.2% | -4.4% | -0.9% | -5.8% |
| 11 | 2.7% | 1.2% | 6.5% | -7.7% | -8.2% | -3.5% | 5.8% | -10.2% | 3.1% | -13.2% |
| 12 | 0.9% | -0.6% | 3.4% | -6.6% | -6.1% | -5.6% | 3.2% | -8.9% | 2.1% | -8.7% |
| 15 | 3.4% | 2.7% | 4.8% | -5.0% | -15.8% | 21.8% | 4.4% | -3.6% | 0.6% | -19.0% |
| 16 | 3.9% | -0.5% | 6.9% | -5.1% | -3.9% | 4.6% | 6.3% | -4.8% | 2.2% | -9.5% |
| 17 | 5.6% | 1.6% | 13.7% | -10.5% | 3.8% | 4.5% | 13.6% | -9.0% | 7.4% | -8.7% |
| 18 | 1.7% | 1.9% | 5.2% | -5.2% | -0.2% | 0.6% | 4.9% | -4.7% | 3.1% | -4.5% |
| 19 | 4.5% | -1.0% | 6.3% | -1.5% | 0.7% | 2.6% | 6.3% | -1.9% | 1.8% | -5.0% |
| 20 | 7.1% | -2.3% | 5.3% | -7.1% | 2.7% | -3.0% | 4.9% | -6.3% | -1.9% | -2.2% |
| 21 | 2.6% | -3.4% | 2.7% | -6.4% | 5.6% | -15.1% | 3.0% | -8.4% | 0.6% | 3.0% |
| 22 | 2.9% | -0.7% | 3.9% | -7.3% | 2.9% | 2.2% | 3.4% | -4.5% | 1.0% | 0.0% |
| 23 | 3.5% | 0.4% | 9.4% | -12.2% | -0.4% | -15.3% | 9.1% | -15.2% | 5.1% | -8.7% |
| All VA | 3.1% | 0.2% | 6.9% | -8.2% | -1.5% | -1.3% | 6.5% | -8.1% | 3.5% | -7.6% |

Table 5-3. Annual VA workload, unique patients treated, by VISN: April 1, 2003 through March 31, 2004, April 1, 2004 through March 31, 2005, and change.

| VISN | PATIENTS TREATED | | | | | PATIENTS TREATED PER 1,000 POPULATION | | | | | MH as % of all VA | SA as % of MH |
|--|--------------------|-----------------------|--------------------|----------------------|--------------------------|---------------------------------------|-----------------------|--------------------|----------------------|--------------------------|----------------------|------------------|
| | All VA Patients | General Psychiatry | Substance Abuse | Total MH Patients | Total No- Mental Hlth | All VA Patients | General Psychiatry | Substance Abuse | Total MH Patients | Total No- Mental Hlth | | |
| PATIENTS TREATED (4/1/04 through 3/31/05) | | | | | | | | | | | | |
| 1 | 230,246 | 40,520 | 5,962 | 41,875 | 188,371 | 173.4 | 30.5 | 4.5 | 31.5 | 141.9 | 18.2% | 14.2% |
| 2 | 132,488 | 22,677 | 3,151 | 23,290 | 109,198 | 214.7 | 36.8 | 5.1 | 37.7 | 177.0 | 17.6% | 13.5% |
| 3 | 189,800 | 33,765 | 5,406 | 35,276 | 154,524 | 154.2 | 27.4 | 4.4 | 28.7 | 125.5 | 18.6% | 15.3% |
| 4 | 293,586 | 42,466 | 5,712 | 43,979 | 249,607 | 179.5 | 26.0 | 3.5 | 26.9 | 152.6 | 15.0% | 13.0% |
| 5 | 123,340 | 20,977 | 5,347 | 22,639 | 100,701 | 149.1 | 25.4 | 6.5 | 27.4 | 121.8 | 18.4% | 23.6% |
| 6 | 252,719 | 47,072 | 4,459 | 48,192 | 204,527 | 182.6 | 34.0 | 3.2 | 34.8 | 147.8 | 19.1% | 9.3% |
| 7 | 286,968 | 53,134 | 5,370 | 54,223 | 232,745 | 191.2 | 35.4 | 3.6 | 36.1 | 155.0 | 18.9% | 9.9% |
| 8 | 512,080 | 78,135 | 7,647 | 80,550 | 431,530 | 264.5 | 40.4 | 4.0 | 41.6 | 222.9 | 15.7% | 9.5% |
| 9 | 241,130 | 41,615 | 3,152 | 42,459 | 198,671 | 219.4 | 37.9 | 2.9 | 38.6 | 180.7 | 17.6% | 7.4% |
| 10 | 179,621 | 38,368 | 8,657 | 40,861 | 138,760 | 168.5 | 36.0 | 8.1 | 38.3 | 130.2 | 22.7% | 21.2% |
| 11 | 218,023 | 34,857 | 5,299 | 36,525 | 181,498 | 142.2 | 22.7 | 3.5 | 23.8 | 118.4 | 16.8% | 14.5% |
| 12 | 228,881 | 32,209 | 5,556 | 33,742 | 195,139 | 187.3 | 26.4 | 4.5 | 27.6 | 159.7 | 14.7% | 16.5% |
| 15 | 222,946 | 35,403 | 4,118 | 36,239 | 186,707 | 216.3 | 34.3 | 4.0 | 35.2 | 181.1 | 16.3% | 11.4% |
| 16 | 436,996 | 78,455 | 10,702 | 81,203 | 355,793 | 224.5 | 40.3 | 5.5 | 41.7 | 182.7 | 18.6% | 13.2% |
| 17 | 234,230 | 39,896 | 4,733 | 41,109 | 193,121 | 214.4 | 36.5 | 4.3 | 37.6 | 176.8 | 17.6% | 11.5% |
| 18 | 239,547 | 38,546 | 4,163 | 39,516 | 200,031 | 252.5 | 40.6 | 4.4 | 41.7 | 210.9 | 16.5% | 10.5% |
| 19 | 142,826 | 23,752 | 3,747 | 24,798 | 118,028 | 178.7 | 29.7 | 4.7 | 31.0 | 147.7 | 17.4% | 15.1% |
| 20 | 209,976 | 41,414 | 7,636 | 44,048 | 165,928 | 168.2 | 33.2 | 6.1 | 35.3 | 132.9 | 21.0% | 17.3% |
| 21 | 220,590 | 37,256 | 5,208 | 38,617 | 181,973 | 172.3 | 29.1 | 4.1 | 30.2 | 142.1 | 17.5% | 13.5% |
| 22 | 256,110 | 49,079 | 7,375 | 50,856 | 205,254 | 156.3 | 29.9 | 4.5 | 31.0 | 125.3 | 19.9% | 14.5% |
| 23 | 265,359 | 36,680 | 6,385 | 38,449 | 226,910 | 224.1 | 31.0 | 5.4 | 32.5 | 191.6 | 14.5% | 16.6% |
| All VA | 4,950,836 | 847,756 | 117,498 | 878,452 | 4,072,384 | 186.5 | 31.9 | 4.4 | 33.1 | 153.4 | 17.7% | 13.4% |
| Avg. | 243,689 | 41,251 | 5,704 | 42,783 | 200,906 | 192.1 | 32.5 | 4.6 | 33.8 | 158.3 | 17.7% | 13.9% |
| S.D. | 89,937 | 14,684 | 1,865 | 15,024 | 75,836 | 34 | 5.3 | 1.2 | 5.3 | 29.7 | 2.0% | 3.9% |
| C.V. | 0.37 | 0.36 | 0.33 | 0.35 | 0.38 | 0.18 | 0.16 | 0.26 | 0.16 | 0.19 | 0.11 | 0.28 |
| PATIENTS TREATED (4/1/03 through 3/31/04) | | | | | | | | | | | | |
| 1 | 227,652 | 38,856 | 6,379 | 40,495 | 187,157 | 171.4 | 29.3 | 4.8 | 30.5 | 140.9 | 17.8% | 15.8% |
| 2 | 128,657 | 21,283 | 3,175 | 21,949 | 106,738 | 208.5 | 34.5 | 5.1 | 35.5 | 173.0 | 17.0% | 14.5% |
| 3 | 193,455 | 33,053 | 5,382 | 34,550 | 158,905 | 157.2 | 26.9 | 4.4 | 28.1 | 129.1 | 17.9% | 15.6% |
| 4 | 286,404 | 39,919 | 5,591 | 41,552 | 244,852 | 175.1 | 24.4 | 3.4 | 25.4 | 149.7 | 14.5% | 13.5% |
| 5 | 121,192 | 20,414 | 5,708 | 22,239 | 98,953 | 146.5 | 24.7 | 6.9 | 26.9 | 119.6 | 18.4% | 25.7% |
| 6 | 241,140 | 40,445 | 4,306 | 41,634 | 199,506 | 174.2 | 29.2 | 3.1 | 30.1 | 144.2 | 17.3% | 10.3% |
| 7 | 273,600 | 49,040 | 5,831 | 50,268 | 223,332 | 182.3 | 32.7 | 3.9 | 33.5 | 148.8 | 18.4% | 11.6% |
| 8 | 494,646 | 74,087 | 7,533 | 76,453 | 418,193 | 255.5 | 38.3 | 3.9 | 39.5 | 216.0 | 15.5% | 9.9% |
| 9 | 232,808 | 35,742 | 2,966 | 36,634 | 196,174 | 211.8 | 32.5 | 2.7 | 33.3 | 178.5 | 15.7% | 8.1% |
| 10 | 171,986 | 36,855 | 8,938 | 39,556 | 132,430 | 161.3 | 34.6 | 8.4 | 37.1 | 124.2 | 23.0% | 22.6% |
| 11 | 212,249 | 32,774 | 5,756 | 34,565 | 177,684 | 138.4 | 21.4 | 3.8 | 22.5 | 115.9 | 16.3% | 16.7% |
| 12 | 226,533 | 30,813 | 5,989 | 32,434 | 194,099 | 185.4 | 25.2 | 4.9 | 26.5 | 158.9 | 14.3% | 18.5% |
| 15 | 215,550 | 33,830 | 4,888 | 34,744 | 180,806 | 209.1 | 32.8 | 4.7 | 33.7 | 175.4 | 16.1% | 14.1% |
| 16 | 420,741 | 73,566 | 11,156 | 76,578 | 344,163 | 216.1 | 37.8 | 5.7 | 39.3 | 176.8 | 18.2% | 14.6% |
| 17 | 221,912 | 35,220 | 4,560 | 36,278 | 185,634 | 203.1 | 32.2 | 4.2 | 33.2 | 169.9 | 16.3% | 12.6% |
| 18 | 235,492 | 36,543 | 4,204 | 37,624 | 197,868 | 248.3 | 38.5 | 4.4 | 39.7 | 208.6 | 16.0% | 11.2% |
| 19 | 136,712 | 22,351 | 3,720 | 23,341 | 113,371 | 171.0 | 28.0 | 4.7 | 29.2 | 141.8 | 17.1% | 15.9% |
| 20 | 196,116 | 39,370 | 7,445 | 42,010 | 154,106 | 157.1 | 31.5 | 6.0 | 33.6 | 123.4 | 21.4% | 17.7% |
| 21 | 214,911 | 36,243 | 4,990 | 37,482 | 177,429 | 167.9 | 28.3 | 3.9 | 29.3 | 138.6 | 17.4% | 13.3% |
| 22 | 249,034 | 47,169 | 7,159 | 49,113 | 199,921 | 152.0 | 28.8 | 4.4 | 30.0 | 122.0 | 19.7% | 14.6% |
| 23 | 256,304 | 33,572 | 6,413 | 35,306 | 220,998 | 216.4 | 28.3 | 5.4 | 29.8 | 186.6 | 13.8% | 18.2% |
| All VA | 4,800,677 | 793,157 | 119,691 | 825,257 | 3,975,420 | 180.8 | 29.9 | 4.5 | 31.1 | 149.7 | 17.2% | 14.5% |
| CHANGE IN PATIENTS TREATED (4/1/03 through 3/31/04-4/1/04 through 3/31/05) | | | | | | | | | | | | |
| 1 | 1.1% | 4.3% | -6.5% | 3.4% | 0.6% | 1.2% | 4.1% | -6.3% | 3.3% | 0.7% | 2.2% | -10.1% |
| 2 | 3.0% | 6.5% | -0.8% | 6.3% | 2.3% | 3.0% | 6.7% | 0.0% | 6.2% | 2.3% | 3.5% | -6.9% |
| 3 | -1.9% | 2.2% | 0.4% | 2.1% | -2.8% | -1.9% | 1.9% | 0.0% | 2.1% | -2.8% | 3.9% | -1.9% |
| 4 | 2.5% | 6.4% | 2.2% | 5.8% | 1.9% | 2.5% | 6.6% | 2.9% | 5.9% | 1.9% | 3.4% | -3.7% |
| 5 | 1.8% | 2.8% | -6.3% | 1.8% | 1.8% | 1.8% | 2.8% | -5.8% | 1.9% | 1.8% | 0.0% | -8.2% |
| 6 | 4.8% | 16.4% | 3.6% | 15.8% | 2.5% | 4.8% | 16.4% | 3.2% | 15.6% | 2.5% | 10.4% | -9.7% |
| 7 | 4.9% | 8.3% | -7.9% | 7.9% | 4.2% | 4.9% | 8.3% | -7.7% | 7.8% | 4.2% | 2.7% | -14.7% |
| 8 | 3.5% | 5.5% | 1.5% | 5.4% | 3.2% | 3.5% | 5.5% | 2.6% | 5.3% | 3.2% | 1.3% | -4.0% |
| 9 | 3.6% | 16.4% | 6.3% | 15.9% | 1.3% | 3.6% | 16.6% | 7.4% | 15.9% | 1.2% | 12.1% | -8.6% |
| 10 | 4.4% | 4.1% | -3.1% | 3.3% | 4.8% | 4.5% | 4.0% | -3.6% | 3.2% | 4.8% | -1.3% | -6.2% |
| 11 | 2.7% | 6.4% | -7.9% | 5.7% | 2.1% | 2.7% | 6.1% | -7.9% | 5.8% | 2.2% | 3.1% | -13.2% |
| 12 | 1.0% | 4.5% | -7.2% | 4.0% | 0.5% | 1.0% | 4.8% | -8.2% | 4.2% | 0.5% | 2.8% | -10.8% |
| 15 | 3.4% | 4.6% | -15.8% | 4.3% | 3.3% | 3.4% | 4.6% | -14.9% | 4.5% | 3.2% | 1.2% | -19.1% |
| 16 | 3.9% | 6.6% | -4.1% | 6.0% | 3.4% | 3.9% | 6.6% | -3.5% | 6.1% | 3.3% | 2.2% | -9.6% |
| 17 | 5.6% | 13.3% | 3.8% | 13.3% | 4.0% | 5.6% | 13.4% | 2.4% | 13.3% | 4.1% | 8.0% | -8.7% |
| 18 | 1.7% | 5.5% | -1.0% | 5.0% | 1.1% | 1.7% | 5.5% | 0.0% | 5.0% | 1.1% | 3.1% | -6.2% |
| 19 | 4.5% | 6.3% | 0.7% | 6.2% | 4.1% | 4.5% | 6.1% | 0.0% | 6.2% | 4.2% | 1.8% | -5.0% |
| 20 | 7.1% | 5.2% | 2.6% | 4.9% | 7.7% | 7.1% | 5.4% | 1.7% | 5.1% | 7.7% | -1.9% | -2.3% |
| 21 | 2.6% | 2.8% | 4.4% | 3.0% | 2.6% | 2.6% | 2.8% | 5.1% | 3.1% | 2.5% | 0.6% | 1.5% |
| 22 | 2.8% | 4.0% | 3.0% | 3.5% | 2.7% | 2.8% | 3.8% | 2.3% | 3.3% | 2.7% | 1.0% | -0.7% |
| 23 | 3.5% | 9.3% | -0.4% | 8.9% | 2.7% | 3.6% | 9.5% | 0.0% | 9.1% | 2.7% | 5.1% | -8.8% |
| All VA | 3.1% | 6.9% | -1.8% | 6.4% | 2.4% | 3.2% | 6.7% | -2.2% | 6.4% | 2.5% | 2.9% | -7.6% |


Table 5-4. Annual VA workload, inpatients as a percent of all unique patients treated, by VISN: 4/1/03 through 3/31/04, 4/1/04 through 3/31/05, and change.

| VISN | TOTAL PATIENTS TREATED | | | | UNIQUE INPATIENTS | | | | PERCENT INPATIENTS | | | |
|--|------------------------|--------------------|-----------------|-------------------|-------------------|--------------------|-----------------|---------------------|--------------------|--------------------|-----------------|---------------------|
| | All VA Patients | General Psychiatry | Substance Abuse | Total MH Patients | All VA Patients | General Psychiatry | Substance Abuse | Total MH Inpatients | All VA Patients | General Psychiatry | Substance Abuse | Total MH Inpatients |
| PATIENTS TREATED (4/1/04 through 3/31/05) | | | | | | | | | | | | |
| 1 | 230,246 | 40,520 | 5,962 | 41,875 | 15,837 | 3,099 | 693 | 3,733 | 6.9% | 7.6% | 11.6% | 8.9% |
| 2 | 132,488 | 22,677 | 3,151 | 23,290 | 9,725 | 1,308 | 4 | 1,815 | 7.3% | 5.8% | 0.1% | 7.8% |
| 3 | 189,800 | 33,765 | 5,406 | 35,276 | 14,698 | 2,298 | 4 | 2,530 | 7.7% | 6.8% | 0.1% | 7.2% |
| 4 | 293,586 | 42,466 | 5,712 | 43,979 | 18,409 | 2,807 | 125 | 3,209 | 6.3% | 6.6% | 2.2% | 7.3% |
| 5 | 123,340 | 20,977 | 5,347 | 22,639 | 11,534 | 2,326 | - | 2,585 | 9.4% | 11.1% | 0.0% | 11.4% |
| 6 | 252,719 | 47,072 | 4,459 | 48,192 | 21,720 | 4,295 | 253 | 4,918 | 8.6% | 9.1% | 5.7% | 10.2% |
| 7 | 286,968 | 53,134 | 5,370 | 54,223 | 22,044 | 3,488 | 37 | 3,615 | 7.7% | 6.6% | 0.7% | 6.7% |
| 8 | 512,080 | 78,135 | 7,647 | 80,550 | 34,799 | 4,275 | 0 | 4,715 | 6.8% | 5.5% | 0.0% | 5.9% |
| 9 | 241,130 | 41,615 | 3,152 | 42,459 | 23,799 | 3,808 | 3 | 3,911 | 9.9% | 9.2% | 0.1% | 9.2% |
| 10 | 179,621 | 38,368 | 8,657 | 40,861 | 15,032 | 2,693 | 250 | 3,340 | 8.4% | 7.0% | 2.9% | 8.2% |
| 11 | 218,023 | 34,857 | 5,299 | 36,525 | 16,107 | 2,564 | 390 | 3,283 | 7.4% | 7.4% | 7.4% | 9.0% |
| 12 | 228,881 | 32,209 | 5,556 | 33,742 | 19,361 | 3,375 | 1 | 4,015 | 8.5% | 10.5% | 0.0% | 11.9% |
| 15 | 222,946 | 35,403 | 4,118 | 36,239 | 18,410 | 3,437 | 0 | 3,488 | 8.3% | 9.7% | 0.0% | 9.6% |
| 16 | 436,996 | 78,455 | 10,702 | 81,203 | 37,696 | 5,289 | 54 | 5,604 | 8.6% | 6.7% | 0.5% | 6.9% |
| 17 | 234,230 | 39,896 | 4,733 | 41,109 | 20,021 | 3,034 | 1 | 3,621 | 8.5% | 7.6% | 0.0% | 8.8% |
| 18 | 239,547 | 38,546 | 4,163 | 39,516 | 19,008 | 2,418 | - | 2,535 | 7.9% | 6.3% | 0.0% | 6.4% |
| 19 | 142,826 | 23,752 | 3,747 | 24,798 | 10,922 | 1,517 | 0 | 1,684 | 7.6% | 6.4% | 0.0% | 6.8% |
| 20 | 209,976 | 41,414 | 7,636 | 44,048 | 17,241 | 2,678 | 313 | 3,360 | 8.2% | 6.5% | 4.1% | 7.6% |
| 21 | 220,590 | 37,256 | 5,208 | 38,617 | 14,767 | 2,169 | 206 | 2,565 | 6.7% | 5.8% | 4.0% | 6.6% |
| 22 | 256,110 | 49,079 | 7,375 | 50,856 | 19,566 | 2,756 | 320 | 2,985 | 7.6% | 5.6% | 4.3% | 5.9% |
| 23 | 265,359 | 36,680 | 6,385 | 38,449 | 18,713 | 2,343 | - | 2,711 | 7.1% | 6.4% | 0.0% | 7.1% |
| All VA | 4,950,836 | 847,756 | 117,498 | 878,452 | 392,900 | 60,382 | 2,649 | 68,401 | 7.9% | 7.1% | 2.3% | 7.8% |
| Avg. | 243,689 | 41,251 | 5,704 | 42,783 | 19,019 | 2,951 | 126 | 3,344 | 7.9% | 7.3% | 2.1% | 8.1% |
| S.D. | 89,937 | 14,684 | 1,865 | 15,024 | 6,789 | 940 | 185 | 967 | 0.9% | 1.6% | 3.1% | 1.7% |
| C.V. | 0.37 | 0.36 | 0.33 | 0.35 | 0.36 | 0.32 | 1.47 | 0.29 | 0.11 | 0.22 | 1.48 | 0.21 |
| PATIENTS TREATED (4/1/03 through 3/31/04) | | | | | | | | | | | | |
| 1 | 227,652 | 38,856 | 6,379 | 40,495 | 15,456 | 2,995 | 801 | 3,747 | 6.8% | 7.7% | 12.6% | 9.3% |
| 2 | 128,657 | 21,283 | 3,175 | 21,919 | 9,519 | 1,340 | 1 | 1,782 | 7.4% | 6.3% | 0.0% | 8.1% |
| 3 | 193,455 | 33,053 | 5,382 | 34,550 | 14,976 | 2,356 | - | 2,608 | 7.7% | 7.1% | 0.0% | 7.5% |
| 4 | 286,404 | 39,919 | 5,591 | 41,552 | 17,465 | 2,450 | 162 | 2,943 | 6.1% | 6.1% | 2.9% | 7.1% |
| 5 | 121,192 | 20,414 | 5,708 | 22,239 | 11,876 | 2,490 | 216 | 2,800 | 9.8% | 12.2% | 3.8% | 12.6% |
| 6 | 241,140 | 40,445 | 4,306 | 41,634 | 20,801 | 4,204 | 204 | 4,836 | 8.6% | 10.4% | 4.7% | 11.6% |
| 7 | 273,600 | 49,040 | 5,831 | 50,268 | 21,835 | 3,473 | 216 | 3,720 | 8.0% | 7.1% | 3.7% | 7.4% |
| 8 | 494,646 | 74,087 | 7,533 | 76,453 | 33,286 | 4,102 | 0 | 4,652 | 6.7% | 5.5% | 0.0% | 6.1% |
| 9 | 232,808 | 35,742 | 2,966 | 36,634 | 23,499 | 3,552 | 196 | 3,892 | 10.1% | 9.9% | 6.6% | 10.6% |
| 10 | 171,986 | 36,855 | 8,938 | 39,556 | 14,704 | 2,461 | 276 | 3,084 | 8.5% | 6.7% | 3.1% | 7.8% |
| 11 | 212,249 | 32,774 | 5,756 | 34,565 | 15,785 | 2,571 | 407 | 3,347 | 7.4% | 7.8% | 7.1% | 9.7% |
| 12 | 226,533 | 30,813 | 5,989 | 32,434 | 18,883 | 2,779 | 277 | 3,658 | 8.3% | 9.0% | 4.6% | 11.3% |
| 15 | 215,550 | 33,830 | 4,888 | 34,744 | 17,726 | 3,297 | 0 | 3,340 | 8.2% | 9.7% | 0.0% | 9.6% |
| 16 | 420,741 | 73,566 | 11,156 | 76,578 | 36,725 | 5,607 | 98 | 5,996 | 8.7% | 7.6% | 0.9% | 7.8% |
| 17 | 221,912 | 35,220 | 4,560 | 36,278 | 19,666 | 3,045 | 1 | 3,614 | 8.9% | 8.6% | 0.0% | 10.0% |
| 18 | 235,492 | 36,543 | 4,204 | 37,624 | 18,455 | 2,067 | 223 | 2,409 | 7.8% | 5.7% | 5.3% | 6.4% |
| 19 | 136,712 | 22,351 | 3,720 | 23,341 | 10,950 | 1,687 | 0 | 1,863 | 8.0% | 7.5% | 0.0% | 8.0% |
| 20 | 196,116 | 39,370 | 7,445 | 42,010 | 17,341 | 2,716 | 322 | 3,468 | 8.8% | 6.9% | 4.3% | 8.3% |
| 21 | 214,911 | 36,243 | 4,990 | 37,482 | 14,657 | 1,977 | 579 | 2,664 | 6.8% | 5.5% | 11.6% | 7.1% |
| 22 | 249,034 | 47,169 | 7,159 | 49,113 | 19,029 | 2,681 | 292 | 2,898 | 7.6% | 5.7% | 4.1% | 5.9% |
| 23 | 256,304 | 33,572 | 6,413 | 35,306 | 18,061 | 2,293 | - | 2,612 | 7.0% | 6.8% | 0.0% | 7.4% |
| All VA | 4,800,677 | 793,157 | 119,691 | 825,257 | 384,131 | 58,488 | 4,262 | 68,012 | 8.0% | 7.4% | 3.6% | 8.2% |
| CHANGE (4/1/03 through 3/31/04-4/1/04 through 3/31/05) | | | | | | | | | | | | |
| 1 | 1.1% | 4.3% | -6.5% | 3.4% | 2.5% | 3.5% | -13.5% | -0.4% | 1.5% | -1.3% | -7.9% | -4.3% |
| 2 | 3.0% | 6.5% | -0.8% | 6.3% | 2.2% | -2.4% | N/A | 1.9% | -1.4% | -7.9% | N/A | -3.7% |
| 3 | -1.9% | 2.2% | 0.4% | 2.1% | -1.9% | -2.5% | N/A | -3.0% | 0.0% | -4.2% | N/A | -4.0% |
| 4 | 2.5% | 6.4% | 2.2% | 5.8% | 5.4% | 14.6% | -22.8% | 9.0% | 3.3% | 8.2% | -24.1% | 2.8% |
| 5 | 1.8% | 2.8% | -6.3% | 1.8% | -2.9% | -6.6% | N/A | -7.7% | -4.1% | -9.0% | N/A | -9.5% |
| 6 | 4.8% | 16.4% | 3.6% | 15.8% | 4.4% | 2.2% | 24.0% | 1.7% | 0.0% | -12.5% | 21.3% | -12.1% |
| 7 | 4.9% | 8.3% | -7.9% | 7.9% | 1.0% | 0.4% | -82.9% | -2.8% | -3.8% | -7.0% | -81.1% | -9.5% |
| 8 | 3.5% | 5.5% | 1.5% | 5.4% | 4.5% | 4.2% | N/A | 1.4% | 1.5% | 0.0% | N/A | -3.3% |
| 9 | 3.6% | 16.4% | 6.3% | 15.9% | 1.3% | 7.2% | N/A | 0.5% | -2.0% | -7.1% | N/A | -13.2% |
| 10 | 4.4% | 4.1% | -3.1% | 3.3% | 2.2% | 9.4% | -9.4% | 8.3% | -1.2% | 4.5% | -6.5% | 5.1% |
| 11 | 2.7% | 6.4% | -7.9% | 5.7% | 2.0% | -0.3% | -4.2% | -1.9% | 0.0% | -5.1% | 4.2% | -7.2% |
| 12 | 1.0% | 4.5% | -7.2% | 4.0% | 2.5% | 21.4% | N/A | 9.8% | 2.4% | 16.7% | N/A | 5.3% |
| 15 | 3.4% | 4.6% | -15.8% | 4.3% | 3.9% | 4.2% | N/A | 4.4% | 1.2% | 0.0% | N/A | 0.0% |
| 16 | 3.9% | 6.6% | -4.1% | 6.0% | 2.6% | -5.7% | -44.9% | -6.5% | -1.1% | -11.8% | -44.4% | -11.5% |
| 17 | 5.6% | 13.3% | 3.8% | 13.3% | 1.8% | -0.4% | N/A | 0.2% | -4.5% | -11.6% | N/A | -12.0% |
| 18 | 1.7% | 5.5% | -1.0% | 5.0% | 3.0% | 17.0% | N/A | 5.2% | 1.3% | 10.5% | N/A | 0.0% |
| 19 | 4.5% | 6.3% | 0.7% | 6.2% | -0.3% | -10.1% | N/A | -9.6% | -5.0% | -14.7% | N/A | -15.0% |
| 20 | 7.1% | 5.2% | 2.6% | 4.9% | -0.6% | -1.4% | -2.8% | -3.1% | -6.8% | -5.8% | -4.7% | -8.4% |
| 21 | 2.6% | 2.8% | 4.4% | 3.0% | 0.8% | 9.7% | -64.4% | -3.7% | -1.5% | 5.5% | -65.5% | -7.0% |
| 22 | 2.8% | 4.0% | 3.0% | 3.5% | 2.8% | 2.8% | 9.6% | 3.0% | 0.0% | -1.8% | 4.9% | 0.0% |
| 23 | 3.5% | 9.3% | -0.4% | 8.9% | 3.6% | 2.2% | N/A | 3.8% | 1.4% | -5.9% | N/A | -4.1% |
| All VA | 3.1% | 6.9% | -1.8% | 6.4% | 2.3% | 3.2% | -37.8% | 0.6% | -1.3% | -4.1% | -36.1% | -4.9% |

THIS PAGE INTENTIONALLY LEFT BLANK


DRAFT

Percent of all veterans who used VA mental health services,
FY 1995 and April 1, 2004 through March 31, 2005




*Data based on Table 2-3.

Percent of all veterans service connected for psychosis who used VA mental health services, FY 1995 and April 1, 2004 through March 31, 2005




*Adjusted for sociodemographic factors and availability of non-VA services. Data based on Table 2-4. Note: Graphs based on Table 2-4 have different ranges.

Percent of all veterans service connected for PTSD who used VA mental health services,
FY 1995 and April 1, 2004 through March 31, 2005




*Adjusted for sociodemographic factors and availability of non-VA services.
Data based on Table 2-4. Note: Graphs based on Table 2-4 have different ranges.

Percent of all veterans service connected for any psychiatric disorder who used VA mental health services, FY 1995 and April 1, 2004 through March 31, 2005




*Adjusted for sociodemographic factors and availability of non-VA services.
Data based on Table 2-4. Note: Graphs based on Table 2-4 have different ranges.

Bed days 6 months after discharge from an inpatient general psychiatry unit, FY 1995 (N=40,574) and April 1, 2004 through March 31, 2005 (N=35,439)
(Note: Data based on Table 3-3)




Percentage readmitted within 30 days, inpatient general psychiatry,
FY 1995 (N=40,574) and April 1, 2004 through March 31, 2005 (N=35,439)
(Note: Data based on Table 3-3)




▨ FY 1995

■ April 1, 2004- March 31, 2005


Any psychiatric outpatient stop in 30 days after discharge,
FY 1995 (N=40,574) and April 1, 2004 through March 31, 2005 (N=35,003)
(Note: Data based on Table 4-4)




Any psychiatric outpatient stop in 6 months after discharge,
 FY 1995 (N=40,574) and April 1, 2004 through
 March 31, 2005 (N=35,003)
 (Note: Data based on Table 4-4)



Number of psychiatric outpatient stops in 6 months,
 FY 1995 (N=40,574) and April 1, 2004 through
 March 31, 2005 (N=35,003)
 (Note: Data based on Table 4-4)




Total number of unduplicated general psychiatry inpatients, FY 1995 and
 April 1, 2004 through March 31, 2005
 (Note: Data based on Table 5-1)




Total number of unduplicated substance abuse inpatients, FY 1995 and April 1, 2004 through March 31, 2005


(Note: Data based on Table 5-1)



**Total number of unduplicated mental health inpatients, FY 1995 and
April 1, 2004 through March 31, 2005**
(Note: Data based on Table 5-1)




Average length of stay, inpatient general psychiatry,
FY 1995 (N=77,478) and April 1, 2004 through March 31, 2005 (N=60,382)
(Note: Data based on Table 5-1B)




▨ FY 1995

■ April 1, 2004-March 31, 2005


Average length of stay, inpatient substance abuse,
FY 1995 (55,308) and April 1, 2004 through March 31, 2005 (N=2,649)
(Note: Data based on Table 5-1B)



Total number of unduplicated general psychiatry outpatients, FY 1995 and
 April 1, 2004 through March 31, 2005
 (Note: Data based on Table 5-2)




Total number of unduplicated substance abuse outpatients, FY 1995 and
 April 1, 2004 through March 31, 2005
 (Note: Data based on Table 5-2)



▨ FY 1995

■ April 1, 2004 - March 31, 2005


Total number of unduplicated mental health outpatients, FY 1995 and
April 1, 2004 through March 31, 2005
(Note: Data based on Table 5-2)




▨ FY 1995

■ April 1, 2004-March 31, 2005

Total number of general psychiatry patients treated, FY 1995 and
April 1, 2004 through March 31, 2005
(Note: Data based on Table 5-3)



Total number of substance abuse patients treated, FY 1995 and
 April 1, 2004 through March 31, 2005
 (Note: Data based on Table 5-3)



Total number of mental health patients treated, FY 1995 and April 1, 2004 through March 31, 2005

(Note: Data based on Table 5-3)

